

To: Aerostar

Job ID: Brookley Field OMS - 28

Attn: Marshall Eschette

GCAL Report 208121217



Report Date 12/19/2008

ANALYTICAL RESULTS BY

GULF COAST ANALYTICAL LABORATORIES, INC.

Deliver To Aerostar
803 Govt. Street
Suite A
Mobile, AL 36602

Attn Marshall Eschette

Report Sample Summary

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121701	MW-9	Water	12/10/2008 12:10	12/12/2008 09:25
20812121702	OMS-28-2	Water	12/10/2008 12:55	12/12/2008 09:25
20812121703	MW-12	Water	12/10/2008 13:35	12/12/2008 09:25
20812121704	OMS-28-4	Water	12/10/2008 14:25	12/12/2008 09:25
20812121705	OMS-28-7	Water	12/10/2008 15:05	12/12/2008 09:25
20812121706	OMS-28-6	Water	12/10/2008 16:00	12/12/2008 09:25
20812121707	RINSATE	Water	12/10/2008 16:05	12/12/2008 09:25
20812121708	DUP	Water	12/10/2008 00:00	12/12/2008 09:25
20812121709	MW-8	Water	12/11/2008 09:20	12/12/2008 09:25
20812121710	MW-5	Water	12/11/2008 09:50	12/12/2008 09:25
20812121711	MW-6	Water	12/11/2008 08:40	12/12/2008 09:25
20812121712	OMS-28-1	Water	12/11/2008 12:00	12/12/2008 09:25
20812121713	OMS-28-3	Water	12/11/2008 10:35	12/12/2008 09:25
20812121714	OMS-28-5	Water	12/11/2008 11:10	12/12/2008 09:25
20812121715	RINSATE-2	Water	12/11/2008 12:05	12/12/2008 09:25
20812121716	DUP-2	Water	12/11/2008 00:00	12/12/2008 09:25
20812121717	TRIP	Water		12/12/2008 09:25

Summary of Compounds Detected

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121705	OMS-28-7	Water	12/10/2008 15:05	12/12/2008 09:25

SW-846 8260B

CAS#	Parameter	Result	RDL	MDL	Units
91-20-3	Naphthalene	0.00428J	0.00500	0.000118	mg/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121709	MW-8	Water	12/11/2008 09:20	12/12/2008 09:25

SW-846 8260B

CAS#	Parameter	Result	RDL	MDL	Units
79-01-6	Trichloroethene	0.046	0.00500	0.000118	mg/L
156-59-2	cis-1,2-Dichloroethene	0.00324J	0.00500	0.000162	mg/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121711	MW-6	Water	12/11/2008 08:40	12/12/2008 09:25

SW-846 8260B

CAS#	Parameter	Result	RDL	MDL	Units
71-43-2	Benzene	0.011	0.00500	0.0000649	mg/L
110-82-7	Cyclohexane	0.00139J	0.00500	0.000105	mg/L
98-82-8	Isopropylbenzene (Cumene)	0.00406J	0.00500	0.000135	mg/L
91-20-3	Naphthalene	0.021	0.00500	0.000118	mg/L
1330-20-7	Xylene (total)	0.00523J	0.010	0.000183	mg/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121712	OMS-28-1	Water	12/11/2008 12:00	12/12/2008 09:25

SW-846 8260B

CAS#	Parameter	Result	RDL	MDL	Units
91-20-3	Naphthalene	0.00451J	0.00500	0.000118	mg/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121713	OMS-28-3	Water	12/11/2008 10:35	12/12/2008 09:25

SW-846 8260B

CAS#	Parameter	Result	RDL	MDL	Units
156-59-2	cis-1,2-Dichloroethene	0.00934	0.00500	0.000162	mg/L

SW-846 8260B

CAS#	Parameter	Result	RDL	MDL	Units
79-01-6	Trichloroethene	0.094	0.010	0.000236	mg/L

Summary of Compounds Detected (con't)

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121714	OMS-28-5	Water	12/11/2008 11:10	12/12/2008 09:25

SW-846 8260B

CAS#	Parameter	Result	RDL	MDL	Units
127-18-4	Tetrachloroethene	0.00920	0.00500	0.000153	mg/L
79-01-6	Trichloroethene	0.014	0.00500	0.000118	mg/L
156-59-2	cis-1,2-Dichloroethene	0.00870	0.00500	0.000162	mg/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121716	DUP-2	Water	12/11/2008 00:00	12/12/2008 09:25

SW-846 8260B

CAS#	Parameter	Result	RDL	MDL	Units
79-01-6	Trichloroethene	0.046	0.00500	0.000118	mg/L
156-59-2	cis-1,2-Dichloroethene	0.00316J	0.00500	0.000162	mg/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121701	MW-9	Water	12/10/2008 12:10	12/12/2008 09:25

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	12/15/2008 22:36	ADI	402720

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.0000963U	0.00500	0.0000963	mg/L
79-34-5	1,1,2,2-Tetrachloroethane	0.000154U	0.00500	0.000154	mg/L
79-00-5	1,1,2-Trichloroethane	0.0000928U	0.00500	0.0000928	mg/L
75-34-3	1,1-Dichloroethane	0.0000859U	0.00500	0.0000859	mg/L
75-35-4	1,1-Dichloroethene	0.000201U	0.00500	0.000201	mg/L
120-82-1	1,2,4-Trichlorobenzene	0.0000912U	0.00500	0.0000912	mg/L
96-12-8	1,2-Dibromo-3-chloropropane	0.000129U	0.00500	0.000129	mg/L
106-93-4	1,2-Dibromoethane	0.000202U	0.00500	0.000202	mg/L
95-50-1	1,2-Dichlorobenzene	0.0000690U	0.00500	0.0000690	mg/L
107-06-2	1,2-Dichloroethane	0.0000898U	0.00500	0.0000898	mg/L
78-87-5	1,2-Dichloropropane	0.0000960U	0.00500	0.0000960	mg/L
541-73-1	1,3-Dichlorobenzene	0.000132U	0.00500	0.000132	mg/L
106-46-7	1,4-Dichlorobenzene	0.0000572U	0.00500	0.0000572	mg/L
78-93-3	2-Butanone	0.000176U	0.00500	0.000176	mg/L
591-78-6	2-Hexanone	0.000105U	0.00500	0.000105	mg/L
108-10-1	4-Methyl-2-pentanone	0.0000781U	0.00500	0.0000781	mg/L
67-64-1	Acetone	0.000914U	0.025	0.000914	mg/L
71-43-2	Benzene	0.0000649U	0.00500	0.0000649	mg/L
75-27-4	Bromodichloromethane	0.000144U	0.00500	0.000144	mg/L
75-25-2	Bromoform	0.000172U	0.00500	0.000172	mg/L
74-83-9	Bromomethane	0.000271U	0.00500	0.000271	mg/L
75-15-0	Carbon disulfide	0.0000774U	0.00500	0.0000774	mg/L
56-23-5	Carbon tetrachloride	0.000156U	0.00500	0.000156	mg/L
108-90-7	Chlorobenzene	0.000287U	0.00500	0.000287	mg/L
75-00-3	Chloroethane	0.000181U	0.00500	0.000181	mg/L
67-66-3	Chloroform	0.000164U	0.00500	0.000164	mg/L
74-87-3	Chloromethane	0.000101U	0.00500	0.000101	mg/L
110-82-7	Cyclohexane	0.000105U	0.00500	0.000105	mg/L
124-48-1	Dibromochloromethane	0.0000975U	0.00500	0.0000975	mg/L
75-71-8	Dichlorodifluoromethane	0.0000829U	0.00500	0.0000829	mg/L
10061-01-5	cis-1,3-Dichloropropene	0.000116U	0.00500	0.000116	mg/L
10061-02-6	trans-1,3-Dichloropropene	0.0000623U	0.00500	0.0000623	mg/L
100-41-4	Ethylbenzene	0.0000652U	0.00500	0.0000652	mg/L
98-82-8	Isopropylbenzene (Cumene)	0.000135U	0.00500	0.000135	mg/L
79-20-9	Methyl Acetate	0.000994U	0.00500	0.000994	mg/L
108-87-2	Methylcyclohexane	0.0000754U	0.00500	0.0000754	mg/L
75-09-2	Methylene chloride	0.0000959U	0.010	0.0000959	mg/L
91-20-3	Naphthalene	0.000118U	0.00500	0.000118	mg/L
100-42-5	Styrene	0.0000579U	0.00500	0.0000579	mg/L
127-18-4	Tetrachloroethene	0.000153U	0.00500	0.000153	mg/L
108-88-3	Toluene	0.0000755U	0.00500	0.0000755	mg/L
79-01-6	Trichloroethene	0.000118U	0.00500	0.000118	mg/L
75-69-4	Trichlorofluoromethane	0.000138U	0.00500	0.000138	mg/L
76-13-1	Trichlorotrifluoroethane	0.000230U	0.00500	0.000230	mg/L
75-01-4	Vinyl chloride	0.000155U	0.00500	0.000155	mg/L
1330-20-7	Xylene (total)	0.000183U	0.010	0.000183	mg/L
156-59-2	cis-1,2-Dichloroethene	0.000162U	0.00500	0.000162	mg/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.0000769U	0.00500	0.0000769	mg/L
156-60-5	trans-1,2-Dichloroethene	0.000122U	0.00500	0.000122	mg/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121701	MW-9	Water	12/10/2008 12:10	12/12/2008 09:25

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	12/15/2008 22:36	ADI	402720

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	.05	.045	mg/L	90	75 - 120
1868-53-7	Dibromofluoromethane	.05	.051	mg/L	102	85 - 115
2037-26-5	Toluene d8	.05	.052	mg/L	103	85 - 120
17060-07-0	1,2-Dichloroethane-d4	.05	.048	mg/L	97	70 - 120

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121702	OMS-28-2	Water	12/10/2008 12:55	12/12/2008 09:25

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	12/15/2008 23:01	ADI	402720

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.0000963U	0.00500	0.0000963	mg/L
79-34-5	1,1,2,2-Tetrachloroethane	0.000154U	0.00500	0.000154	mg/L
79-00-5	1,1,2-Trichloroethane	0.0000928U	0.00500	0.0000928	mg/L
75-34-3	1,1-Dichloroethane	0.0000859U	0.00500	0.0000859	mg/L
75-35-4	1,1-Dichloroethene	0.000201U	0.00500	0.000201	mg/L
120-82-1	1,2,4-Trichlorobenzene	0.0000912U	0.00500	0.0000912	mg/L
96-12-8	1,2-Dibromo-3-chloropropane	0.000129U	0.00500	0.000129	mg/L
106-93-4	1,2-Dibromoethane	0.000202U	0.00500	0.000202	mg/L
95-50-1	1,2-Dichlorobenzene	0.0000690U	0.00500	0.0000690	mg/L
107-06-2	1,2-Dichloroethane	0.0000898U	0.00500	0.0000898	mg/L
78-87-5	1,2-Dichloropropane	0.0000960U	0.00500	0.0000960	mg/L
541-73-1	1,3-Dichlorobenzene	0.000132U	0.00500	0.000132	mg/L
106-46-7	1,4-Dichlorobenzene	0.0000572U	0.00500	0.0000572	mg/L
78-93-3	2-Butanone	0.000176U	0.00500	0.000176	mg/L
591-78-6	2-Hexanone	0.000105U	0.00500	0.000105	mg/L
108-10-1	4-Methyl-2-pentanone	0.0000781U	0.00500	0.0000781	mg/L
67-64-1	Acetone	0.000914U	0.025	0.000914	mg/L
71-43-2	Benzene	0.0000649U	0.00500	0.0000649	mg/L
75-27-4	Bromodichloromethane	0.000144U	0.00500	0.000144	mg/L
75-25-2	Bromoform	0.000172U	0.00500	0.000172	mg/L
74-83-9	Bromomethane	0.000271U	0.00500	0.000271	mg/L
75-15-0	Carbon disulfide	0.0000774U	0.00500	0.0000774	mg/L
56-23-5	Carbon tetrachloride	0.000156U	0.00500	0.000156	mg/L
108-90-7	Chlorobenzene	0.000287U	0.00500	0.000287	mg/L
75-00-3	Chloroethane	0.000181U	0.00500	0.000181	mg/L
67-66-3	Chloroform	0.000164U	0.00500	0.000164	mg/L
74-87-3	Chloromethane	0.000101U	0.00500	0.000101	mg/L
110-82-7	Cyclohexane	0.000105U	0.00500	0.000105	mg/L
124-48-1	Dibromochloromethane	0.0000975U	0.00500	0.0000975	mg/L
75-71-8	Dichlorodifluoromethane	0.0000829U	0.00500	0.0000829	mg/L
10061-01-5	cis-1,3-Dichloropropene	0.000116U	0.00500	0.000116	mg/L
10061-02-6	trans-1,3-Dichloropropene	0.0000623U	0.00500	0.0000623	mg/L
100-41-4	Ethylbenzene	0.0000652U	0.00500	0.0000652	mg/L
98-82-8	Isopropylbenzene (Cumene)	0.000135U	0.00500	0.000135	mg/L
79-20-9	Methyl Acetate	0.000994U	0.00500	0.000994	mg/L
108-87-2	Methylcyclohexane	0.0000754U	0.00500	0.0000754	mg/L
75-09-2	Methylene chloride	0.0000959U	0.010	0.0000959	mg/L
91-20-3	Naphthalene	0.000118U	0.00500	0.000118	mg/L
100-42-5	Styrene	0.0000579U	0.00500	0.0000579	mg/L
127-18-4	Tetrachloroethene	0.000153U	0.00500	0.000153	mg/L
108-88-3	Toluene	0.0000755U	0.00500	0.0000755	mg/L
79-01-6	Trichloroethene	0.000118U	0.00500	0.000118	mg/L
75-69-4	Trichlorofluoromethane	0.000138U	0.00500	0.000138	mg/L
76-13-1	Trichlorotrifluoroethane	0.000230U	0.00500	0.000230	mg/L
75-01-4	Vinyl chloride	0.000155U	0.00500	0.000155	mg/L
1330-20-7	Xylene (total)	0.000183U	0.010	0.000183	mg/L
156-59-2	cis-1,2-Dichloroethene	0.000162U	0.00500	0.000162	mg/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.0000769U	0.00500	0.0000769	mg/L
156-60-5	trans-1,2-Dichloroethene	0.000122U	0.00500	0.000122	mg/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121702	OMS-28-2	Water	12/10/2008 12:55	12/12/2008 09:25

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	12/15/2008 23:01	ADI	402720

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	.05	.042	mg/L	85	75 - 120
1868-53-7	Dibromofluoromethane	.05	.05	mg/L	101	85 - 115
2037-26-5	Toluene d8	.05	.048	mg/L	97	85 - 120
17060-07-0	1,2-Dichloroethane-d4	.05	.049	mg/L	99	70 - 120

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121703	MW-12	Water	12/10/2008 13:35	12/12/2008 09:25

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	12/16/2008 00:14	ADI	402720

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.0000963U	0.00500	0.0000963	mg/L
79-34-5	1,1,2,2-Tetrachloroethane	0.000154U	0.00500	0.000154	mg/L
79-00-5	1,1,2-Trichloroethane	0.0000928U	0.00500	0.0000928	mg/L
75-34-3	1,1-Dichloroethane	0.0000859U	0.00500	0.0000859	mg/L
75-35-4	1,1-Dichloroethene	0.000201U	0.00500	0.000201	mg/L
120-82-1	1,2,4-Trichlorobenzene	0.0000912U	0.00500	0.0000912	mg/L
96-12-8	1,2-Dibromo-3-chloropropane	0.000129U	0.00500	0.000129	mg/L
106-93-4	1,2-Dibromoethane	0.000202U	0.00500	0.000202	mg/L
95-50-1	1,2-Dichlorobenzene	0.0000690U	0.00500	0.0000690	mg/L
107-06-2	1,2-Dichloroethane	0.0000898U	0.00500	0.0000898	mg/L
78-87-5	1,2-Dichloropropane	0.0000960U	0.00500	0.0000960	mg/L
541-73-1	1,3-Dichlorobenzene	0.000132U	0.00500	0.000132	mg/L
106-46-7	1,4-Dichlorobenzene	0.0000572U	0.00500	0.0000572	mg/L
78-93-3	2-Butanone	0.000176U	0.00500	0.000176	mg/L
591-78-6	2-Hexanone	0.000105U	0.00500	0.000105	mg/L
108-10-1	4-Methyl-2-pentanone	0.0000781U	0.00500	0.0000781	mg/L
67-64-1	Acetone	0.000914U	0.025	0.000914	mg/L
71-43-2	Benzene	0.0000649U	0.00500	0.0000649	mg/L
75-27-4	Bromodichloromethane	0.000144U	0.00500	0.000144	mg/L
75-25-2	Bromoform	0.000172U	0.00500	0.000172	mg/L
74-83-9	Bromomethane	0.000271U	0.00500	0.000271	mg/L
75-15-0	Carbon disulfide	0.0000774U	0.00500	0.0000774	mg/L
56-23-5	Carbon tetrachloride	0.000156U	0.00500	0.000156	mg/L
108-90-7	Chlorobenzene	0.000287U	0.00500	0.000287	mg/L
75-00-3	Chloroethane	0.000181U	0.00500	0.000181	mg/L
67-66-3	Chloroform	0.000164U	0.00500	0.000164	mg/L
74-87-3	Chloromethane	0.000101U	0.00500	0.000101	mg/L
110-82-7	Cyclohexane	0.000105U	0.00500	0.000105	mg/L
124-48-1	Dibromochloromethane	0.0000975U	0.00500	0.0000975	mg/L
75-71-8	Dichlorodifluoromethane	0.0000829U	0.00500	0.0000829	mg/L
10061-01-5	cis-1,3-Dichloropropene	0.000116U	0.00500	0.000116	mg/L
10061-02-6	trans-1,3-Dichloropropene	0.0000623U	0.00500	0.0000623	mg/L
100-41-4	Ethylbenzene	0.0000652U	0.00500	0.0000652	mg/L
98-82-8	Isopropylbenzene (Cumene)	0.000135U	0.00500	0.000135	mg/L
79-20-9	Methyl Acetate	0.000994U	0.00500	0.000994	mg/L
108-87-2	Methylcyclohexane	0.0000754U	0.00500	0.0000754	mg/L
75-09-2	Methylene chloride	0.0000959U	0.010	0.0000959	mg/L
91-20-3	Naphthalene	0.000118U	0.00500	0.000118	mg/L
100-42-5	Styrene	0.0000579U	0.00500	0.0000579	mg/L
127-18-4	Tetrachloroethene	0.000153U	0.00500	0.000153	mg/L
108-88-3	Toluene	0.0000755U	0.00500	0.0000755	mg/L
79-01-6	Trichloroethene	0.000118U	0.00500	0.000118	mg/L
75-69-4	Trichlorofluoromethane	0.000138U	0.00500	0.000138	mg/L
76-13-1	Trichlorotrifluoroethane	0.000230U	0.00500	0.000230	mg/L
75-01-4	Vinyl chloride	0.000155U	0.00500	0.000155	mg/L
1330-20-7	Xylene (total)	0.000183U	0.010	0.000183	mg/L
156-59-2	cis-1,2-Dichloroethene	0.000162U	0.00500	0.000162	mg/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.0000769U	0.00500	0.0000769	mg/L
156-60-5	trans-1,2-Dichloroethene	0.000122U	0.00500	0.000122	mg/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121703	MW-12	Water	12/10/2008 13:35	12/12/2008 09:25

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	12/16/2008 00:14	ADI	402720

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	.05	.043	mg/L	85	75 - 120
1868-53-7	Dibromofluoromethane	.05	.05	mg/L	101	85 - 115
2037-26-5	Toluene d8	.05	.05	mg/L	99	85 - 120
17060-07-0	1,2-Dichloroethane-d4	.05	.049	mg/L	97	70 - 120

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121704	OMS-28-4	Water	12/10/2008 14:25	12/12/2008 09:25

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	12/17/2008 13:00	ADI	402862

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.0000963U	0.00500	0.0000963	mg/L
79-34-5	1,1,2,2-Tetrachloroethane	0.000154U	0.00500	0.000154	mg/L
79-00-5	1,1,2-Trichloroethane	0.0000928U	0.00500	0.0000928	mg/L
75-34-3	1,1-Dichloroethane	0.0000859U	0.00500	0.0000859	mg/L
75-35-4	1,1-Dichloroethene	0.000201U	0.00500	0.000201	mg/L
120-82-1	1,2,4-Trichlorobenzene	0.0000912U	0.00500	0.0000912	mg/L
96-12-8	1,2-Dibromo-3-chloropropane	0.000129U	0.00500	0.000129	mg/L
106-93-4	1,2-Dibromoethane	0.000202U	0.00500	0.000202	mg/L
95-50-1	1,2-Dichlorobenzene	0.0000690U	0.00500	0.0000690	mg/L
107-06-2	1,2-Dichloroethane	0.0000898U	0.00500	0.0000898	mg/L
78-87-5	1,2-Dichloropropane	0.0000960U	0.00500	0.0000960	mg/L
541-73-1	1,3-Dichlorobenzene	0.000132U	0.00500	0.000132	mg/L
106-46-7	1,4-Dichlorobenzene	0.0000572U	0.00500	0.0000572	mg/L
78-93-3	2-Butanone	0.000176U	0.00500	0.000176	mg/L
591-78-6	2-Hexanone	0.000105U	0.00500	0.000105	mg/L
108-10-1	4-Methyl-2-pentanone	0.0000781U	0.00500	0.0000781	mg/L
67-64-1	Acetone	0.000914U	0.025	0.000914	mg/L
71-43-2	Benzene	0.0000649U	0.00500	0.0000649	mg/L
75-27-4	Bromodichloromethane	0.000144U	0.00500	0.000144	mg/L
75-25-2	Bromoform	0.000172U	0.00500	0.000172	mg/L
74-83-9	Bromomethane	0.000271U	0.00500	0.000271	mg/L
75-15-0	Carbon disulfide	0.0000774U	0.00500	0.0000774	mg/L
56-23-5	Carbon tetrachloride	0.000156U	0.00500	0.000156	mg/L
108-90-7	Chlorobenzene	0.000287U	0.00500	0.000287	mg/L
75-00-3	Chloroethane	0.000181U	0.00500	0.000181	mg/L
67-66-3	Chloroform	0.000164U	0.00500	0.000164	mg/L
74-87-3	Chloromethane	0.000101U	0.00500	0.000101	mg/L
110-82-7	Cyclohexane	0.000105U	0.00500	0.000105	mg/L
124-48-1	Dibromochloromethane	0.0000975U	0.00500	0.0000975	mg/L
75-71-8	Dichlorodifluoromethane	0.0000829U	0.00500	0.0000829	mg/L
10061-01-5	cis-1,3-Dichloropropene	0.000116U	0.00500	0.000116	mg/L
10061-02-6	trans-1,3-Dichloropropene	0.0000623U	0.00500	0.0000623	mg/L
100-41-4	Ethylbenzene	0.0000652U	0.00500	0.0000652	mg/L
98-82-8	Isopropylbenzene (Cumene)	0.000135U	0.00500	0.000135	mg/L
79-20-9	Methyl Acetate	0.000994U	0.00500	0.000994	mg/L
108-87-2	Methylcyclohexane	0.0000754U	0.00500	0.0000754	mg/L
75-09-2	Methylene chloride	0.0000959U	0.010	0.0000959	mg/L
91-20-3	Naphthalene	0.000118U	0.00500	0.000118	mg/L
100-42-5	Styrene	0.0000579U	0.00500	0.0000579	mg/L
127-18-4	Tetrachloroethene	0.000153U	0.00500	0.000153	mg/L
108-88-3	Toluene	0.0000755U	0.00500	0.0000755	mg/L
79-01-6	Trichloroethene	0.000118U	0.00500	0.000118	mg/L
75-69-4	Trichlorofluoromethane	0.000138U	0.00500	0.000138	mg/L
76-13-1	Trichlorotrifluoroethane	0.000230U	0.00500	0.000230	mg/L
75-01-4	Vinyl chloride	0.000155U	0.00500	0.000155	mg/L
1330-20-7	Xylene (total)	0.000183U	0.010	0.000183	mg/L
156-59-2	cis-1,2-Dichloroethene	0.000162U	0.00500	0.000162	mg/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.0000769U	0.00500	0.0000769	mg/L
156-60-5	trans-1,2-Dichloroethene	0.000122U	0.00500	0.000122	mg/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121704	OMS-28-4	Water	12/10/2008 14:25	12/12/2008 09:25

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	12/17/2008 13:00	ADI	402862

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	.05	.049	mg/L	99	75 - 120
1868-53-7	Dibromofluoromethane	.05	.049	mg/L	98	85 - 115
2037-26-5	Toluene d8	.05	.052	mg/L	104	85 - 120
17060-07-0	1,2-Dichloroethane-d4	.05	.046	mg/L	92	70 - 120

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121705	OMS-28-7	Water	12/10/2008 15:05	12/12/2008 09:25

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	12/17/2008 15:14	ADI	402862

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.0000963U	0.00500	0.0000963	mg/L
79-34-5	1,1,2,2-Tetrachloroethane	0.000154U	0.00500	0.000154	mg/L
79-00-5	1,1,2-Trichloroethane	0.0000928U	0.00500	0.0000928	mg/L
75-34-3	1,1-Dichloroethane	0.0000859U	0.00500	0.0000859	mg/L
75-35-4	1,1-Dichloroethene	0.000201U	0.00500	0.000201	mg/L
120-82-1	1,2,4-Trichlorobenzene	0.0000912U	0.00500	0.0000912	mg/L
96-12-8	1,2-Dibromo-3-chloropropane	0.000129U	0.00500	0.000129	mg/L
106-93-4	1,2-Dibromoethane	0.000202U	0.00500	0.000202	mg/L
95-50-1	1,2-Dichlorobenzene	0.0000690U	0.00500	0.0000690	mg/L
107-06-2	1,2-Dichloroethane	0.0000898U	0.00500	0.0000898	mg/L
78-87-5	1,2-Dichloropropane	0.0000960U	0.00500	0.0000960	mg/L
541-73-1	1,3-Dichlorobenzene	0.000132U	0.00500	0.000132	mg/L
106-46-7	1,4-Dichlorobenzene	0.0000572U	0.00500	0.0000572	mg/L
78-93-3	2-Butanone	0.000176U	0.00500	0.000176	mg/L
591-78-6	2-Hexanone	0.000105U	0.00500	0.000105	mg/L
108-10-1	4-Methyl-2-pentanone	0.0000781U	0.00500	0.0000781	mg/L
67-64-1	Acetone	0.000914U	0.025	0.000914	mg/L
71-43-2	Benzene	0.0000649U	0.00500	0.0000649	mg/L
75-27-4	Bromodichloromethane	0.000144U	0.00500	0.000144	mg/L
75-25-2	Bromoform	0.000172U	0.00500	0.000172	mg/L
74-83-9	Bromomethane	0.000271U	0.00500	0.000271	mg/L
75-15-0	Carbon disulfide	0.0000774U	0.00500	0.0000774	mg/L
56-23-5	Carbon tetrachloride	0.000156U	0.00500	0.000156	mg/L
108-90-7	Chlorobenzene	0.000287U	0.00500	0.000287	mg/L
75-00-3	Chloroethane	0.000181U	0.00500	0.000181	mg/L
67-66-3	Chloroform	0.000164U	0.00500	0.000164	mg/L
74-87-3	Chloromethane	0.000101U	0.00500	0.000101	mg/L
110-82-7	Cyclohexane	0.000105U	0.00500	0.000105	mg/L
124-48-1	Dibromochloromethane	0.0000975U	0.00500	0.0000975	mg/L
75-71-8	Dichlorodifluoromethane	0.0000829U	0.00500	0.0000829	mg/L
10061-01-5	cis-1,3-Dichloropropene	0.000116U	0.00500	0.000116	mg/L
10061-02-6	trans-1,3-Dichloropropene	0.0000623U	0.00500	0.0000623	mg/L
100-41-4	Ethylbenzene	0.0000652U	0.00500	0.0000652	mg/L
98-82-8	Isopropylbenzene (Cumene)	0.000135U	0.00500	0.000135	mg/L
79-20-9	Methyl Acetate	0.000994U	0.00500	0.000994	mg/L
108-87-2	Methylcyclohexane	0.0000754U	0.00500	0.0000754	mg/L
75-09-2	Methylene chloride	0.0000959U	0.010	0.0000959	mg/L
91-20-3	Naphthalene	0.00428J	0.00500	0.000118	mg/L
100-42-5	Styrene	0.0000579U	0.00500	0.0000579	mg/L
127-18-4	Tetrachloroethene	0.000153U	0.00500	0.000153	mg/L
108-88-3	Toluene	0.0000755U	0.00500	0.0000755	mg/L
79-01-6	Trichloroethene	0.000118U	0.00500	0.000118	mg/L
75-69-4	Trichlorofluoromethane	0.000138U	0.00500	0.000138	mg/L
76-13-1	Trichlorotrifluoroethane	0.000230U	0.00500	0.000230	mg/L
75-01-4	Vinyl chloride	0.000155U	0.00500	0.000155	mg/L
1330-20-7	Xylene (total)	0.000183U	0.010	0.000183	mg/L
156-59-2	cis-1,2-Dichloroethene	0.000162U	0.00500	0.000162	mg/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.0000769U	0.00500	0.0000769	mg/L
156-60-5	trans-1,2-Dichloroethene	0.000122U	0.00500	0.000122	mg/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121705	OMS-28-7	Water	12/10/2008 15:05	12/12/2008 09:25

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	12/17/2008 15:14	ADI	402862

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	.05	.051	mg/L	101	75 - 120
1868-53-7	Dibromofluoromethane	.05	.051	mg/L	102	85 - 115
2037-26-5	Toluene d8	.05	.055	mg/L	109	85 - 120
17060-07-0	1,2-Dichloroethane-d4	.05	.046	mg/L	92	70 - 120

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121706	OMS-28-6	Water	12/10/2008 16:00	12/12/2008 09:25

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	12/17/2008 15:26	ADI	402862

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.0000963U	0.00500	0.0000963	mg/L
79-34-5	1,1,2,2-Tetrachloroethane	0.000154U	0.00500	0.000154	mg/L
79-00-5	1,1,2-Trichloroethane	0.0000928U	0.00500	0.0000928	mg/L
75-34-3	1,1-Dichloroethane	0.0000859U	0.00500	0.0000859	mg/L
75-35-4	1,1-Dichloroethene	0.000201U	0.00500	0.000201	mg/L
120-82-1	1,2,4-Trichlorobenzene	0.0000912U	0.00500	0.0000912	mg/L
96-12-8	1,2-Dibromo-3-chloropropane	0.000129U	0.00500	0.000129	mg/L
106-93-4	1,2-Dibromoethane	0.000202U	0.00500	0.000202	mg/L
95-50-1	1,2-Dichlorobenzene	0.0000690U	0.00500	0.0000690	mg/L
107-06-2	1,2-Dichloroethane	0.0000898U	0.00500	0.0000898	mg/L
78-87-5	1,2-Dichloropropane	0.0000960U	0.00500	0.0000960	mg/L
541-73-1	1,3-Dichlorobenzene	0.000132U	0.00500	0.000132	mg/L
106-46-7	1,4-Dichlorobenzene	0.0000572U	0.00500	0.0000572	mg/L
78-93-3	2-Butanone	0.000176U	0.00500	0.000176	mg/L
591-78-6	2-Hexanone	0.000105U	0.00500	0.000105	mg/L
108-10-1	4-Methyl-2-pentanone	0.0000781U	0.00500	0.0000781	mg/L
67-64-1	Acetone	0.000914U	0.025	0.000914	mg/L
71-43-2	Benzene	0.0000649U	0.00500	0.0000649	mg/L
75-27-4	Bromodichloromethane	0.000144U	0.00500	0.000144	mg/L
75-25-2	Bromoform	0.000172U	0.00500	0.000172	mg/L
74-83-9	Bromomethane	0.000271U	0.00500	0.000271	mg/L
75-15-0	Carbon disulfide	0.0000774U	0.00500	0.0000774	mg/L
56-23-5	Carbon tetrachloride	0.000156U	0.00500	0.000156	mg/L
108-90-7	Chlorobenzene	0.000287U	0.00500	0.000287	mg/L
75-00-3	Chloroethane	0.000181U	0.00500	0.000181	mg/L
67-66-3	Chloroform	0.000164U	0.00500	0.000164	mg/L
74-87-3	Chloromethane	0.000101U	0.00500	0.000101	mg/L
110-82-7	Cyclohexane	0.000105U	0.00500	0.000105	mg/L
124-48-1	Dibromochloromethane	0.0000975U	0.00500	0.0000975	mg/L
75-71-8	Dichlorodifluoromethane	0.0000829U	0.00500	0.0000829	mg/L
10061-01-5	cis-1,3-Dichloropropene	0.000116U	0.00500	0.000116	mg/L
10061-02-6	trans-1,3-Dichloropropene	0.0000623U	0.00500	0.0000623	mg/L
100-41-4	Ethylbenzene	0.0000652U	0.00500	0.0000652	mg/L
98-82-8	Isopropylbenzene (Cumene)	0.000135U	0.00500	0.000135	mg/L
79-20-9	Methyl Acetate	0.000994U	0.00500	0.000994	mg/L
108-87-2	Methylcyclohexane	0.0000754U	0.00500	0.0000754	mg/L
75-09-2	Methylene chloride	0.0000959U	0.010	0.0000959	mg/L
91-20-3	Naphthalene	0.000118U	0.00500	0.000118	mg/L
100-42-5	Styrene	0.0000579U	0.00500	0.0000579	mg/L
127-18-4	Tetrachloroethene	0.000153U	0.00500	0.000153	mg/L
108-88-3	Toluene	0.0000755U	0.00500	0.0000755	mg/L
79-01-6	Trichloroethene	0.000118U	0.00500	0.000118	mg/L
75-69-4	Trichlorofluoromethane	0.000138U	0.00500	0.000138	mg/L
76-13-1	Trichlorotrifluoroethane	0.000230U	0.00500	0.000230	mg/L
75-01-4	Vinyl chloride	0.000155U	0.00500	0.000155	mg/L
1330-20-7	Xylene (total)	0.000183U	0.010	0.000183	mg/L
156-59-2	cis-1,2-Dichloroethene	0.000162U	0.00500	0.000162	mg/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.0000769U	0.00500	0.0000769	mg/L
156-60-5	trans-1,2-Dichloroethene	0.000122U	0.00500	0.000122	mg/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121706	OMS-28-6	Water	12/10/2008 16:00	12/12/2008 09:25

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	12/17/2008 15:26	ADI	402862

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	.05	.05	mg/L	100	75 - 120
1868-53-7	Dibromofluoromethane	.05	.05	mg/L	100	85 - 115
2037-26-5	Toluene d8	.05	.054	mg/L	109	85 - 120
17060-07-0	1,2-Dichloroethane-d4	.05	.047	mg/L	94	70 - 120

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121707	RINSATE	Water	12/10/2008 16:05	12/12/2008 09:25

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	12/17/2008 15:50	ADI	402862

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.0000963U	0.00500	0.0000963	mg/L
79-34-5	1,1,2,2-Tetrachloroethane	0.000154U	0.00500	0.000154	mg/L
79-00-5	1,1,2-Trichloroethane	0.0000928U	0.00500	0.0000928	mg/L
75-34-3	1,1-Dichloroethane	0.0000859U	0.00500	0.0000859	mg/L
75-35-4	1,1-Dichloroethene	0.000201U	0.00500	0.000201	mg/L
120-82-1	1,2,4-Trichlorobenzene	0.0000912U	0.00500	0.0000912	mg/L
96-12-8	1,2-Dibromo-3-chloropropane	0.000129U	0.00500	0.000129	mg/L
106-93-4	1,2-Dibromoethane	0.000202U	0.00500	0.000202	mg/L
95-50-1	1,2-Dichlorobenzene	0.0000690U	0.00500	0.0000690	mg/L
107-06-2	1,2-Dichloroethane	0.0000898U	0.00500	0.0000898	mg/L
78-87-5	1,2-Dichloropropane	0.0000960U	0.00500	0.0000960	mg/L
541-73-1	1,3-Dichlorobenzene	0.000132U	0.00500	0.000132	mg/L
106-46-7	1,4-Dichlorobenzene	0.0000572U	0.00500	0.0000572	mg/L
78-93-3	2-Butanone	0.000176U	0.00500	0.000176	mg/L
591-78-6	2-Hexanone	0.000105U	0.00500	0.000105	mg/L
108-10-1	4-Methyl-2-pentanone	0.0000781U	0.00500	0.0000781	mg/L
67-64-1	Acetone	0.000914U	0.025	0.000914	mg/L
71-43-2	Benzene	0.0000649U	0.00500	0.0000649	mg/L
75-27-4	Bromodichloromethane	0.000144U	0.00500	0.000144	mg/L
75-25-2	Bromoform	0.000172U	0.00500	0.000172	mg/L
74-83-9	Bromomethane	0.000271U	0.00500	0.000271	mg/L
75-15-0	Carbon disulfide	0.0000774U	0.00500	0.0000774	mg/L
56-23-5	Carbon tetrachloride	0.000156U	0.00500	0.000156	mg/L
108-90-7	Chlorobenzene	0.000287U	0.00500	0.000287	mg/L
75-00-3	Chloroethane	0.000181U	0.00500	0.000181	mg/L
67-66-3	Chloroform	0.000164U	0.00500	0.000164	mg/L
74-87-3	Chloromethane	0.000101U	0.00500	0.000101	mg/L
110-82-7	Cyclohexane	0.000105U	0.00500	0.000105	mg/L
124-48-1	Dibromochloromethane	0.0000975U	0.00500	0.0000975	mg/L
75-71-8	Dichlorodifluoromethane	0.0000829U	0.00500	0.0000829	mg/L
10061-01-5	cis-1,3-Dichloropropene	0.000116U	0.00500	0.000116	mg/L
10061-02-6	trans-1,3-Dichloropropene	0.0000623U	0.00500	0.0000623	mg/L
100-41-4	Ethylbenzene	0.0000652U	0.00500	0.0000652	mg/L
98-82-8	Isopropylbenzene (Cumene)	0.000135U	0.00500	0.000135	mg/L
79-20-9	Methyl Acetate	0.000994U	0.00500	0.000994	mg/L
108-87-2	Methylcyclohexane	0.0000754U	0.00500	0.0000754	mg/L
75-09-2	Methylene chloride	0.0000959U	0.010	0.0000959	mg/L
91-20-3	Naphthalene	0.000118U	0.00500	0.000118	mg/L
100-42-5	Styrene	0.0000579U	0.00500	0.0000579	mg/L
127-18-4	Tetrachloroethene	0.000153U	0.00500	0.000153	mg/L
108-88-3	Toluene	0.0000755U	0.00500	0.0000755	mg/L
79-01-6	Trichloroethene	0.000118U	0.00500	0.000118	mg/L
75-69-4	Trichlorofluoromethane	0.000138U	0.00500	0.000138	mg/L
76-13-1	Trichlorotrifluoroethane	0.000230U	0.00500	0.000230	mg/L
75-01-4	Vinyl chloride	0.000155U	0.00500	0.000155	mg/L
1330-20-7	Xylene (total)	0.000183U	0.010	0.000183	mg/L
156-59-2	cis-1,2-Dichloroethene	0.000162U	0.00500	0.000162	mg/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.0000769U	0.00500	0.0000769	mg/L
156-60-5	trans-1,2-Dichloroethene	0.000122U	0.00500	0.000122	mg/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121707	RINSATE	Water	12/10/2008 16:05	12/12/2008 09:25

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	12/17/2008 15:50	ADI	402862

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	.05	.05	mg/L	100	75 - 120
1868-53-7	Dibromofluoromethane	.05	.05	mg/L	101	85 - 115
2037-26-5	Toluene d8	.05	.055	mg/L	110	85 - 120
17060-07-0	1,2-Dichloroethane-d4	.05	.047	mg/L	93	70 - 120

GCAL ID 20812121708	Client ID DUP	Matrix Water	Collect Date/Time 12/10/2008 00:00	Receive Date/Time 12/12/2008 09:25
-------------------------------	-------------------------	------------------------	--	--

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution 1	Analyzed 12/17/2008 16:39	By ADI	Analytical Batch 402862
------------------	-------------------	--------------------	----------------------	-------------------------------------	------------------	-----------------------------------

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.0000963U	0.00500	0.0000963	mg/L
79-34-5	1,1,2,2-Tetrachloroethane	0.000154U	0.00500	0.000154	mg/L
79-00-5	1,1,2-Trichloroethane	0.0000928U	0.00500	0.0000928	mg/L
75-34-3	1,1-Dichloroethane	0.0000859U	0.00500	0.0000859	mg/L
75-35-4	1,1-Dichloroethene	0.000201U	0.00500	0.000201	mg/L
120-82-1	1,2,4-Trichlorobenzene	0.0000912U	0.00500	0.0000912	mg/L
96-12-8	1,2-Dibromo-3-chloropropane	0.000129U	0.00500	0.000129	mg/L
106-93-4	1,2-Dibromoethane	0.000202U	0.00500	0.000202	mg/L
95-50-1	1,2-Dichlorobenzene	0.0000690U	0.00500	0.0000690	mg/L
107-06-2	1,2-Dichloroethane	0.0000898U	0.00500	0.0000898	mg/L
78-87-5	1,2-Dichloropropane	0.0000960U	0.00500	0.0000960	mg/L
541-73-1	1,3-Dichlorobenzene	0.000132U	0.00500	0.000132	mg/L
106-46-7	1,4-Dichlorobenzene	0.0000572U	0.00500	0.0000572	mg/L
78-93-3	2-Butanone	0.000176U	0.00500	0.000176	mg/L
591-78-6	2-Hexanone	0.000105U	0.00500	0.000105	mg/L
108-10-1	4-Methyl-2-pentanone	0.0000781U	0.00500	0.0000781	mg/L
67-64-1	Acetone	0.000914U	0.025	0.000914	mg/L
71-43-2	Benzene	0.0000649U	0.00500	0.0000649	mg/L
75-27-4	Bromodichloromethane	0.000144U	0.00500	0.000144	mg/L
75-25-2	Bromoform	0.000172U	0.00500	0.000172	mg/L
74-83-9	Bromomethane	0.000271U	0.00500	0.000271	mg/L
75-15-0	Carbon disulfide	0.0000774U	0.00500	0.0000774	mg/L
56-23-5	Carbon tetrachloride	0.000156U	0.00500	0.000156	mg/L
108-90-7	Chlorobenzene	0.000287U	0.00500	0.000287	mg/L
75-00-3	Chloroethane	0.000181U	0.00500	0.000181	mg/L
67-66-3	Chloroform	0.000164U	0.00500	0.000164	mg/L
74-87-3	Chloromethane	0.000101U	0.00500	0.000101	mg/L
110-82-7	Cyclohexane	0.000105U	0.00500	0.000105	mg/L
124-48-1	Dibromochloromethane	0.0000975U	0.00500	0.0000975	mg/L
75-71-8	Dichlorodifluoromethane	0.0000829U	0.00500	0.0000829	mg/L
10061-01-5	cis-1,3-Dichloropropene	0.000116U	0.00500	0.000116	mg/L
10061-02-6	trans-1,3-Dichloropropene	0.0000623U	0.00500	0.0000623	mg/L
100-41-4	Ethylbenzene	0.0000652U	0.00500	0.0000652	mg/L
98-82-8	Isopropylbenzene (Cumene)	0.000135U	0.00500	0.000135	mg/L
79-20-9	Methyl Acetate	0.000994U	0.00500	0.000994	mg/L
108-87-2	Methylcyclohexane	0.0000754U	0.00500	0.0000754	mg/L
75-09-2	Methylene chloride	0.0000959U	0.010	0.0000959	mg/L
91-20-3	Naphthalene	0.000118U	0.00500	0.000118	mg/L
100-42-5	Styrene	0.0000579U	0.00500	0.0000579	mg/L
127-18-4	Tetrachloroethene	0.000153U	0.00500	0.000153	mg/L
108-88-3	Toluene	0.0000755U	0.00500	0.0000755	mg/L
79-01-6	Trichloroethene	0.000118U	0.00500	0.000118	mg/L
75-69-4	Trichlorofluoromethane	0.000138U	0.00500	0.000138	mg/L
76-13-1	Trichlorotrifluoroethane	0.000230U	0.00500	0.000230	mg/L
75-01-4	Vinyl chloride	0.000155U	0.00500	0.000155	mg/L
1330-20-7	Xylene (total)	0.000183U	0.010	0.000183	mg/L
156-59-2	cis-1,2-Dichloroethene	0.000162U	0.00500	0.000162	mg/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.0000769U	0.00500	0.0000769	mg/L
156-60-5	trans-1,2-Dichloroethene	0.000122U	0.00500	0.000122	mg/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121708	DUP	Water	12/10/2008 00:00	12/12/2008 09:25

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	12/17/2008 16:39	ADI	402862

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	.05	.051	mg/L	102	75 - 120
1868-53-7	Dibromofluoromethane	.05	.05	mg/L	101	85 - 115
2037-26-5	Toluene d8	.05	.056	mg/L	112	85 - 120
17060-07-0	1,2-Dichloroethane-d4	.05	.047	mg/L	94	70 - 120

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121709	MW-8	Water	12/11/2008 09:20	12/12/2008 09:25

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	12/17/2008 16:14	ADI	402862

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.0000963U	0.00500	0.0000963	mg/L
79-34-5	1,1,2,2-Tetrachloroethane	0.000154U	0.00500	0.000154	mg/L
79-00-5	1,1,2-Trichloroethane	0.0000928U	0.00500	0.0000928	mg/L
75-34-3	1,1-Dichloroethane	0.0000859U	0.00500	0.0000859	mg/L
75-35-4	1,1-Dichloroethene	0.000201U	0.00500	0.000201	mg/L
120-82-1	1,2,4-Trichlorobenzene	0.0000912U	0.00500	0.0000912	mg/L
96-12-8	1,2-Dibromo-3-chloropropane	0.000129U	0.00500	0.000129	mg/L
106-93-4	1,2-Dibromoethane	0.000202U	0.00500	0.000202	mg/L
95-50-1	1,2-Dichlorobenzene	0.0000690U	0.00500	0.0000690	mg/L
107-06-2	1,2-Dichloroethane	0.0000898U	0.00500	0.0000898	mg/L
78-87-5	1,2-Dichloropropane	0.0000960U	0.00500	0.0000960	mg/L
541-73-1	1,3-Dichlorobenzene	0.000132U	0.00500	0.000132	mg/L
106-46-7	1,4-Dichlorobenzene	0.0000572U	0.00500	0.0000572	mg/L
78-93-3	2-Butanone	0.000176U	0.00500	0.000176	mg/L
591-78-6	2-Hexanone	0.000105U	0.00500	0.000105	mg/L
108-10-1	4-Methyl-2-pentanone	0.0000781U	0.00500	0.0000781	mg/L
67-64-1	Acetone	0.000914U	0.025	0.000914	mg/L
71-43-2	Benzene	0.0000649U	0.00500	0.0000649	mg/L
75-27-4	Bromodichloromethane	0.000144U	0.00500	0.000144	mg/L
75-25-2	Bromoform	0.000172U	0.00500	0.000172	mg/L
74-83-9	Bromomethane	0.000271U	0.00500	0.000271	mg/L
75-15-0	Carbon disulfide	0.0000774U	0.00500	0.0000774	mg/L
56-23-5	Carbon tetrachloride	0.000156U	0.00500	0.000156	mg/L
108-90-7	Chlorobenzene	0.000287U	0.00500	0.000287	mg/L
75-00-3	Chloroethane	0.000181U	0.00500	0.000181	mg/L
67-66-3	Chloroform	0.000164U	0.00500	0.000164	mg/L
74-87-3	Chloromethane	0.000101U	0.00500	0.000101	mg/L
110-82-7	Cyclohexane	0.000105U	0.00500	0.000105	mg/L
124-48-1	Dibromochloromethane	0.0000975U	0.00500	0.0000975	mg/L
75-71-8	Dichlorodifluoromethane	0.0000829U	0.00500	0.0000829	mg/L
10061-01-5	cis-1,3-Dichloropropene	0.000116U	0.00500	0.000116	mg/L
10061-02-6	trans-1,3-Dichloropropene	0.0000623U	0.00500	0.0000623	mg/L
100-41-4	Ethylbenzene	0.0000652U	0.00500	0.0000652	mg/L
98-82-8	Isopropylbenzene (Cumene)	0.000135U	0.00500	0.000135	mg/L
79-20-9	Methyl Acetate	0.000994U	0.00500	0.000994	mg/L
108-87-2	Methylcyclohexane	0.0000754U	0.00500	0.0000754	mg/L
75-09-2	Methylene chloride	0.0000959U	0.010	0.0000959	mg/L
91-20-3	Naphthalene	0.000118U	0.00500	0.000118	mg/L
100-42-5	Styrene	0.0000579U	0.00500	0.0000579	mg/L
127-18-4	Tetrachloroethene	0.000153U	0.00500	0.000153	mg/L
108-88-3	Toluene	0.0000755U	0.00500	0.0000755	mg/L
79-01-6	Trichloroethene	0.046	0.00500	0.000118	mg/L
75-69-4	Trichlorofluoromethane	0.000138U	0.00500	0.000138	mg/L
76-13-1	Trichlorotrifluoroethane	0.000230U	0.00500	0.000230	mg/L
75-01-4	Vinyl chloride	0.000155U	0.00500	0.000155	mg/L
1330-20-7	Xylene (total)	0.000183U	0.010	0.000183	mg/L
156-59-2	cis-1,2-Dichloroethene	0.00324J	0.00500	0.000162	mg/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.0000769U	0.00500	0.0000769	mg/L
156-60-5	trans-1,2-Dichloroethene	0.000122U	0.00500	0.000122	mg/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121709	MW-8	Water	12/11/2008 09:20	12/12/2008 09:25

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	12/17/2008 16:14	ADI	402862

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	.05	.049	mg/L	98	75 - 120
1868-53-7	Dibromofluoromethane	.05	.051	mg/L	102	85 - 115
2037-26-5	Toluene d8	.05	.054	mg/L	109	85 - 120
17060-07-0	1,2-Dichloroethane-d4	.05	.047	mg/L	94	70 - 120

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121710	MW-5	Water	12/11/2008 09:50	12/12/2008 09:25

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	12/18/2008 09:05	RJU	402934

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.0000963U	0.00500	0.0000963	mg/L
79-34-5	1,1,2,2-Tetrachloroethane	0.000154U	0.00500	0.000154	mg/L
79-00-5	1,1,2-Trichloroethane	0.0000928U	0.00500	0.0000928	mg/L
75-34-3	1,1-Dichloroethane	0.0000859U	0.00500	0.0000859	mg/L
75-35-4	1,1-Dichloroethene	0.000201U	0.00500	0.000201	mg/L
120-82-1	1,2,4-Trichlorobenzene	0.0000912U	0.00500	0.0000912	mg/L
96-12-8	1,2-Dibromo-3-chloropropane	0.000129U	0.00500	0.000129	mg/L
106-93-4	1,2-Dibromoethane	0.000202U	0.00500	0.000202	mg/L
95-50-1	1,2-Dichlorobenzene	0.0000690U	0.00500	0.0000690	mg/L
107-06-2	1,2-Dichloroethane	0.0000898U	0.00500	0.0000898	mg/L
78-87-5	1,2-Dichloropropane	0.0000960U	0.00500	0.0000960	mg/L
541-73-1	1,3-Dichlorobenzene	0.000132U	0.00500	0.000132	mg/L
106-46-7	1,4-Dichlorobenzene	0.0000572U	0.00500	0.0000572	mg/L
78-93-3	2-Butanone	0.000176U	0.00500	0.000176	mg/L
591-78-6	2-Hexanone	0.000105U	0.00500	0.000105	mg/L
108-10-1	4-Methyl-2-pentanone	0.0000781U	0.00500	0.0000781	mg/L
67-64-1	Acetone	0.000914U	0.025	0.000914	mg/L
71-43-2	Benzene	0.0000649U	0.00500	0.0000649	mg/L
75-27-4	Bromodichloromethane	0.000144U	0.00500	0.000144	mg/L
75-25-2	Bromoform	0.000172U	0.00500	0.000172	mg/L
74-83-9	Bromomethane	0.000271U	0.00500	0.000271	mg/L
75-15-0	Carbon disulfide	0.0000774U	0.00500	0.0000774	mg/L
56-23-5	Carbon tetrachloride	0.000156U	0.00500	0.000156	mg/L
108-90-7	Chlorobenzene	0.000287U	0.00500	0.000287	mg/L
75-00-3	Chloroethane	0.000181U	0.00500	0.000181	mg/L
67-66-3	Chloroform	0.000164U	0.00500	0.000164	mg/L
74-87-3	Chloromethane	0.000101U	0.00500	0.000101	mg/L
110-82-7	Cyclohexane	0.000105U	0.00500	0.000105	mg/L
124-48-1	Dibromochloromethane	0.0000975U	0.00500	0.0000975	mg/L
75-71-8	Dichlorodifluoromethane	0.0000829U	0.00500	0.0000829	mg/L
10061-01-5	cis-1,3-Dichloropropene	0.000116U	0.00500	0.000116	mg/L
10061-02-6	trans-1,3-Dichloropropene	0.0000623U	0.00500	0.0000623	mg/L
100-41-4	Ethylbenzene	0.0000652U	0.00500	0.0000652	mg/L
98-82-8	Isopropylbenzene (Cumene)	0.000135U	0.00500	0.000135	mg/L
79-20-9	Methyl Acetate	0.000994U	0.00500	0.000994	mg/L
108-87-2	Methylcyclohexane	0.0000754U	0.00500	0.0000754	mg/L
75-09-2	Methylene chloride	0.0000959U	0.010	0.0000959	mg/L
91-20-3	Naphthalene	0.000118U	0.00500	0.000118	mg/L
100-42-5	Styrene	0.0000579U	0.00500	0.0000579	mg/L
127-18-4	Tetrachloroethene	0.000153U	0.00500	0.000153	mg/L
108-88-3	Toluene	0.0000755U	0.00500	0.0000755	mg/L
79-01-6	Trichloroethene	0.000118U	0.00500	0.000118	mg/L
75-69-4	Trichlorofluoromethane	0.000138U	0.00500	0.000138	mg/L
76-13-1	Trichlorotrifluoroethane	0.000230U	0.00500	0.000230	mg/L
75-01-4	Vinyl chloride	0.000155U	0.00500	0.000155	mg/L
1330-20-7	Xylene (total)	0.000183U	0.010	0.000183	mg/L
156-59-2	cis-1,2-Dichloroethene	0.000162U	0.00500	0.000162	mg/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.0000769U	0.00500	0.0000769	mg/L
156-60-5	trans-1,2-Dichloroethene	0.000122U	0.00500	0.000122	mg/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121710	MW-5	Water	12/11/2008 09:50	12/12/2008 09:25

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	12/18/2008 09:05	RJU	402934

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	.05	.052	mg/L	105	75 - 120
1868-53-7	Dibromofluoromethane	.05	.051	mg/L	102	85 - 115
2037-26-5	Toluene d8	.05	.056	mg/L	113	85 - 120
17060-07-0	1,2-Dichloroethane-d4	.05	.047	mg/L	93	70 - 120

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121711	MW-6	Water	12/11/2008 08:40	12/12/2008 09:25

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	12/18/2008 09:29	RJU	402934

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.0000963U	0.00500	0.0000963	mg/L
79-34-5	1,1,2,2-Tetrachloroethane	0.000154U	0.00500	0.000154	mg/L
79-00-5	1,1,2-Trichloroethane	0.0000928U	0.00500	0.0000928	mg/L
75-34-3	1,1-Dichloroethane	0.0000859U	0.00500	0.0000859	mg/L
75-35-4	1,1-Dichloroethene	0.000201U	0.00500	0.000201	mg/L
120-82-1	1,2,4-Trichlorobenzene	0.0000912U	0.00500	0.0000912	mg/L
96-12-8	1,2-Dibromo-3-chloropropane	0.000129U	0.00500	0.000129	mg/L
106-93-4	1,2-Dibromoethane	0.000202U	0.00500	0.000202	mg/L
95-50-1	1,2-Dichlorobenzene	0.0000690U	0.00500	0.0000690	mg/L
107-06-2	1,2-Dichloroethane	0.0000898U	0.00500	0.0000898	mg/L
78-87-5	1,2-Dichloropropane	0.0000960U	0.00500	0.0000960	mg/L
541-73-1	1,3-Dichlorobenzene	0.000132U	0.00500	0.000132	mg/L
106-46-7	1,4-Dichlorobenzene	0.0000572U	0.00500	0.0000572	mg/L
78-93-3	2-Butanone	0.000176U	0.00500	0.000176	mg/L
591-78-6	2-Hexanone	0.000105U	0.00500	0.000105	mg/L
108-10-1	4-Methyl-2-pentanone	0.0000781U	0.00500	0.0000781	mg/L
67-64-1	Acetone	0.000914U	0.025	0.000914	mg/L
71-43-2	Benzene	0.011	0.00500	0.0000649	mg/L
75-27-4	Bromodichloromethane	0.000144U	0.00500	0.000144	mg/L
75-25-2	Bromoform	0.000172U	0.00500	0.000172	mg/L
74-83-9	Bromomethane	0.000271U	0.00500	0.000271	mg/L
75-15-0	Carbon disulfide	0.0000774U	0.00500	0.0000774	mg/L
56-23-5	Carbon tetrachloride	0.000156U	0.00500	0.000156	mg/L
108-90-7	Chlorobenzene	0.000287U	0.00500	0.000287	mg/L
75-00-3	Chloroethane	0.000181U	0.00500	0.000181	mg/L
67-66-3	Chloroform	0.000164U	0.00500	0.000164	mg/L
74-87-3	Chloromethane	0.000101U	0.00500	0.000101	mg/L
110-82-7	Cyclohexane	0.00139J	0.00500	0.000105	mg/L
124-48-1	Dibromochloromethane	0.0000975U	0.00500	0.0000975	mg/L
75-71-8	Dichlorodifluoromethane	0.0000829U	0.00500	0.0000829	mg/L
10061-01-5	cis-1,3-Dichloropropene	0.000116U	0.00500	0.000116	mg/L
10061-02-6	trans-1,3-Dichloropropene	0.0000623U	0.00500	0.0000623	mg/L
100-41-4	Ethylbenzene	0.0000652U	0.00500	0.0000652	mg/L
98-82-8	Isopropylbenzene (Cumene)	0.00406J	0.00500	0.000135	mg/L
79-20-9	Methyl Acetate	0.000994U	0.00500	0.000994	mg/L
108-87-2	Methylcyclohexane	0.0000754U	0.00500	0.0000754	mg/L
75-09-2	Methylene chloride	0.0000959U	0.010	0.0000959	mg/L
91-20-3	Naphthalene	0.021	0.00500	0.000118	mg/L
100-42-5	Styrene	0.0000579U	0.00500	0.0000579	mg/L
127-18-4	Tetrachloroethene	0.000153U	0.00500	0.000153	mg/L
108-88-3	Toluene	0.0000755U	0.00500	0.0000755	mg/L
79-01-6	Trichloroethene	0.000118U	0.00500	0.000118	mg/L
75-69-4	Trichlorofluoromethane	0.000138U	0.00500	0.000138	mg/L
76-13-1	Trichlorotrifluoroethane	0.000230U	0.00500	0.000230	mg/L
75-01-4	Vinyl chloride	0.000155U	0.00500	0.000155	mg/L
1330-20-7	Xylene (total)	0.00523J	0.010	0.000183	mg/L
156-59-2	cis-1,2-Dichloroethene	0.000162U	0.00500	0.000162	mg/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.0000769U	0.00500	0.0000769	mg/L
156-60-5	trans-1,2-Dichloroethene	0.000122U	0.00500	0.000122	mg/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121711	MW-6	Water	12/11/2008 08:40	12/12/2008 09:25

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	12/18/2008 09:29	RJU	402934

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	.05	.057	mg/L	113	75 - 120
1868-53-7	Dibromofluoromethane	.05	.051	mg/L	102	85 - 115
2037-26-5	Toluene d8	.05	.052	mg/L	105	85 - 120
17060-07-0	1,2-Dichloroethane-d4	.05	.047	mg/L	93	70 - 120

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121712	OMS-28-1	Water	12/11/2008 12:00	12/12/2008 09:25

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	12/18/2008 09:53	RJU	402934

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.0000963U	0.00500	0.0000963	mg/L
79-34-5	1,1,2,2-Tetrachloroethane	0.000154U	0.00500	0.000154	mg/L
79-00-5	1,1,2-Trichloroethane	0.0000928U	0.00500	0.0000928	mg/L
75-34-3	1,1-Dichloroethane	0.0000859U	0.00500	0.0000859	mg/L
75-35-4	1,1-Dichloroethene	0.000201U	0.00500	0.000201	mg/L
120-82-1	1,2,4-Trichlorobenzene	0.0000912U	0.00500	0.0000912	mg/L
96-12-8	1,2-Dibromo-3-chloropropane	0.000129U	0.00500	0.000129	mg/L
106-93-4	1,2-Dibromoethane	0.000202U	0.00500	0.000202	mg/L
95-50-1	1,2-Dichlorobenzene	0.0000690U	0.00500	0.0000690	mg/L
107-06-2	1,2-Dichloroethane	0.0000898U	0.00500	0.0000898	mg/L
78-87-5	1,2-Dichloropropane	0.0000960U	0.00500	0.0000960	mg/L
541-73-1	1,3-Dichlorobenzene	0.000132U	0.00500	0.000132	mg/L
106-46-7	1,4-Dichlorobenzene	0.0000572U	0.00500	0.0000572	mg/L
78-93-3	2-Butanone	0.000176U	0.00500	0.000176	mg/L
591-78-6	2-Hexanone	0.000105U	0.00500	0.000105	mg/L
108-10-1	4-Methyl-2-pentanone	0.0000781U	0.00500	0.0000781	mg/L
67-64-1	Acetone	0.000914U	0.025	0.000914	mg/L
71-43-2	Benzene	0.0000649U	0.00500	0.0000649	mg/L
75-27-4	Bromodichloromethane	0.000144U	0.00500	0.000144	mg/L
75-25-2	Bromoform	0.000172U	0.00500	0.000172	mg/L
74-83-9	Bromomethane	0.000271U	0.00500	0.000271	mg/L
75-15-0	Carbon disulfide	0.0000774U	0.00500	0.0000774	mg/L
56-23-5	Carbon tetrachloride	0.000156U	0.00500	0.000156	mg/L
108-90-7	Chlorobenzene	0.000287U	0.00500	0.000287	mg/L
75-00-3	Chloroethane	0.000181U	0.00500	0.000181	mg/L
67-66-3	Chloroform	0.000164U	0.00500	0.000164	mg/L
74-87-3	Chloromethane	0.000101U	0.00500	0.000101	mg/L
110-82-7	Cyclohexane	0.000105U	0.00500	0.000105	mg/L
124-48-1	Dibromochloromethane	0.0000975U	0.00500	0.0000975	mg/L
75-71-8	Dichlorodifluoromethane	0.0000829U	0.00500	0.0000829	mg/L
10061-01-5	cis-1,3-Dichloropropene	0.000116U	0.00500	0.000116	mg/L
10061-02-6	trans-1,3-Dichloropropene	0.0000623U	0.00500	0.0000623	mg/L
100-41-4	Ethylbenzene	0.0000652U	0.00500	0.0000652	mg/L
98-82-8	Isopropylbenzene (Cumene)	0.000135U	0.00500	0.000135	mg/L
79-20-9	Methyl Acetate	0.000994U	0.00500	0.000994	mg/L
108-87-2	Methylcyclohexane	0.0000754U	0.00500	0.0000754	mg/L
75-09-2	Methylene chloride	0.0000959U	0.010	0.0000959	mg/L
91-20-3	Naphthalene	0.00451J	0.00500	0.000118	mg/L
100-42-5	Styrene	0.0000579U	0.00500	0.0000579	mg/L
127-18-4	Tetrachloroethene	0.000153U	0.00500	0.000153	mg/L
108-88-3	Toluene	0.0000755U	0.00500	0.0000755	mg/L
79-01-6	Trichloroethene	0.000118U	0.00500	0.000118	mg/L
75-69-4	Trichlorofluoromethane	0.000138U	0.00500	0.000138	mg/L
76-13-1	Trichlorotrifluoroethane	0.000230U	0.00500	0.000230	mg/L
75-01-4	Vinyl chloride	0.000155U	0.00500	0.000155	mg/L
1330-20-7	Xylene (total)	0.000183U	0.010	0.000183	mg/L
156-59-2	cis-1,2-Dichloroethene	0.000162U	0.00500	0.000162	mg/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.0000769U	0.00500	0.0000769	mg/L
156-60-5	trans-1,2-Dichloroethene	0.000122U	0.00500	0.000122	mg/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121712	OMS-28-1	Water	12/11/2008 12:00	12/12/2008 09:25

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	12/18/2008 09:53	RJU	402934

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	.05	.052	mg/L	103	75 - 120
1868-53-7	Dibromofluoromethane	.05	.05	mg/L	99	85 - 115
2037-26-5	Toluene d8	.05	.054	mg/L	109	85 - 120
17060-07-0	1,2-Dichloroethane-d4	.05	.046	mg/L	92	70 - 120

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121713	OMS-28-3	Water	12/11/2008 10:35	12/12/2008 09:25

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	12/18/2008 10:17	RJU	402934

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.0000963U	0.00500	0.0000963	mg/L
79-34-5	1,1,2,2-Tetrachloroethane	0.000154U	0.00500	0.000154	mg/L
79-00-5	1,1,2-Trichloroethane	0.0000928U	0.00500	0.0000928	mg/L
75-34-3	1,1-Dichloroethane	0.0000859U	0.00500	0.0000859	mg/L
75-35-4	1,1-Dichloroethene	0.000201U	0.00500	0.000201	mg/L
120-82-1	1,2,4-Trichlorobenzene	0.0000912U	0.00500	0.0000912	mg/L
96-12-8	1,2-Dibromo-3-chloropropane	0.000129U	0.00500	0.000129	mg/L
106-93-4	1,2-Dibromoethane	0.000202U	0.00500	0.000202	mg/L
95-50-1	1,2-Dichlorobenzene	0.0000690U	0.00500	0.0000690	mg/L
107-06-2	1,2-Dichloroethane	0.0000898U	0.00500	0.0000898	mg/L
78-87-5	1,2-Dichloropropane	0.0000960U	0.00500	0.0000960	mg/L
541-73-1	1,3-Dichlorobenzene	0.000132U	0.00500	0.000132	mg/L
106-46-7	1,4-Dichlorobenzene	0.0000572U	0.00500	0.0000572	mg/L
78-93-3	2-Butanone	0.000176U	0.00500	0.000176	mg/L
591-78-6	2-Hexanone	0.000105U	0.00500	0.000105	mg/L
108-10-1	4-Methyl-2-pentanone	0.0000781U	0.00500	0.0000781	mg/L
67-64-1	Acetone	0.000914U	0.025	0.000914	mg/L
71-43-2	Benzene	0.0000649U	0.00500	0.0000649	mg/L
75-27-4	Bromodichloromethane	0.000144U	0.00500	0.000144	mg/L
75-25-2	Bromoform	0.000172U	0.00500	0.000172	mg/L
74-83-9	Bromomethane	0.000271U	0.00500	0.000271	mg/L
75-15-0	Carbon disulfide	0.0000774U	0.00500	0.0000774	mg/L
56-23-5	Carbon tetrachloride	0.000156U	0.00500	0.000156	mg/L
108-90-7	Chlorobenzene	0.000287U	0.00500	0.000287	mg/L
75-00-3	Chloroethane	0.000181U	0.00500	0.000181	mg/L
67-66-3	Chloroform	0.000164U	0.00500	0.000164	mg/L
74-87-3	Chloromethane	0.000101U	0.00500	0.000101	mg/L
110-82-7	Cyclohexane	0.000105U	0.00500	0.000105	mg/L
124-48-1	Dibromochloromethane	0.0000975U	0.00500	0.0000975	mg/L
75-71-8	Dichlorodifluoromethane	0.0000829U	0.00500	0.0000829	mg/L
10061-01-5	cis-1,3-Dichloropropene	0.000116U	0.00500	0.000116	mg/L
10061-02-6	trans-1,3-Dichloropropene	0.0000623U	0.00500	0.0000623	mg/L
100-41-4	Ethylbenzene	0.0000652U	0.00500	0.0000652	mg/L
98-82-8	Isopropylbenzene (Cumene)	0.000135U	0.00500	0.000135	mg/L
79-20-9	Methyl Acetate	0.000994U	0.00500	0.000994	mg/L
108-87-2	Methylcyclohexane	0.0000754U	0.00500	0.0000754	mg/L
75-09-2	Methylene chloride	0.0000959U	0.010	0.0000959	mg/L
91-20-3	Naphthalene	0.000118U	0.00500	0.000118	mg/L
100-42-5	Styrene	0.0000579U	0.00500	0.0000579	mg/L
127-18-4	Tetrachloroethene	0.000153U	0.00500	0.000153	mg/L
108-88-3	Toluene	0.0000755U	0.00500	0.0000755	mg/L
75-69-4	Trichlorofluoromethane	0.000138U	0.00500	0.000138	mg/L
76-13-1	Trichlorotrifluoroethane	0.000230U	0.00500	0.000230	mg/L
75-01-4	Vinyl chloride	0.000155U	0.00500	0.000155	mg/L
1330-20-7	Xylene (total)	0.000183U	0.010	0.000183	mg/L
156-59-2	cis-1,2-Dichloroethene	0.00934	0.00500	0.000162	mg/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.0000769U	0.00500	0.0000769	mg/L
156-60-5	trans-1,2-Dichloroethene	0.000122U	0.00500	0.000122	mg/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121713	OMS-28-3	Water	12/11/2008 10:35	12/12/2008 09:25

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	12/18/2008 10:17	RJU	402934

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	.05	.051	mg/L	102	75 - 120
1868-53-7	Dibromofluoromethane	.05	.051	mg/L	103	85 - 115
2037-26-5	Toluene d8	.05	.055	mg/L	110	85 - 120
17060-07-0	1,2-Dichloroethane-d4	.05	.046	mg/L	93	70 - 120

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			2	12/18/2008 11:56	RJU	402934

CAS#	Parameter	Result	RDL	MDL	Units
79-01-6	Trichloroethene	0.094	0.010	0.000236	mg/L

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	.1	.102	mg/L	102	75 - 120
1868-53-7	Dibromofluoromethane	.1	.103	mg/L	103	85 - 115
2037-26-5	Toluene d8	.1	.11	mg/L	110	85 - 120
17060-07-0	1,2-Dichloroethane-d4	.1	.093	mg/L	93	70 - 120

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121714	OMS-28-5	Water	12/11/2008 11:10	12/12/2008 09:25

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	12/18/2008 12:20	RJU	402934

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.0000963U	0.00500	0.0000963	mg/L
79-34-5	1,1,2,2-Tetrachloroethane	0.000154U	0.00500	0.000154	mg/L
79-00-5	1,1,2-Trichloroethane	0.0000928U	0.00500	0.0000928	mg/L
75-34-3	1,1-Dichloroethane	0.0000859U	0.00500	0.0000859	mg/L
75-35-4	1,1-Dichloroethene	0.000201U	0.00500	0.000201	mg/L
120-82-1	1,2,4-Trichlorobenzene	0.0000912U	0.00500	0.0000912	mg/L
96-12-8	1,2-Dibromo-3-chloropropane	0.000129U	0.00500	0.000129	mg/L
106-93-4	1,2-Dibromoethane	0.000202U	0.00500	0.000202	mg/L
95-50-1	1,2-Dichlorobenzene	0.0000690U	0.00500	0.0000690	mg/L
107-06-2	1,2-Dichloroethane	0.0000898U	0.00500	0.0000898	mg/L
78-87-5	1,2-Dichloropropane	0.0000960U	0.00500	0.0000960	mg/L
541-73-1	1,3-Dichlorobenzene	0.000132U	0.00500	0.000132	mg/L
106-46-7	1,4-Dichlorobenzene	0.0000572U	0.00500	0.0000572	mg/L
78-93-3	2-Butanone	0.000176U	0.00500	0.000176	mg/L
591-78-6	2-Hexanone	0.000105U	0.00500	0.000105	mg/L
108-10-1	4-Methyl-2-pentanone	0.0000781U	0.00500	0.0000781	mg/L
67-64-1	Acetone	0.000914U	0.025	0.000914	mg/L
71-43-2	Benzene	0.0000649U	0.00500	0.0000649	mg/L
75-27-4	Bromodichloromethane	0.000144U	0.00500	0.000144	mg/L
75-25-2	Bromoform	0.000172U	0.00500	0.000172	mg/L
74-83-9	Bromomethane	0.000271U	0.00500	0.000271	mg/L
75-15-0	Carbon disulfide	0.0000774U	0.00500	0.0000774	mg/L
56-23-5	Carbon tetrachloride	0.000156U	0.00500	0.000156	mg/L
108-90-7	Chlorobenzene	0.000287U	0.00500	0.000287	mg/L
75-00-3	Chloroethane	0.000181U	0.00500	0.000181	mg/L
67-66-3	Chloroform	0.000164U	0.00500	0.000164	mg/L
74-87-3	Chloromethane	0.000101U	0.00500	0.000101	mg/L
110-82-7	Cyclohexane	0.000105U	0.00500	0.000105	mg/L
124-48-1	Dibromochloromethane	0.0000975U	0.00500	0.0000975	mg/L
75-71-8	Dichlorodifluoromethane	0.0000829U	0.00500	0.0000829	mg/L
10061-01-5	cis-1,3-Dichloropropene	0.000116U	0.00500	0.000116	mg/L
10061-02-6	trans-1,3-Dichloropropene	0.0000623U	0.00500	0.0000623	mg/L
100-41-4	Ethylbenzene	0.0000652U	0.00500	0.0000652	mg/L
98-82-8	Isopropylbenzene (Cumene)	0.000135U	0.00500	0.000135	mg/L
79-20-9	Methyl Acetate	0.000994U	0.00500	0.000994	mg/L
108-87-2	Methylcyclohexane	0.0000754U	0.00500	0.0000754	mg/L
75-09-2	Methylene chloride	0.0000959U	0.010	0.0000959	mg/L
91-20-3	Naphthalene	0.000118U	0.00500	0.000118	mg/L
100-42-5	Styrene	0.0000579U	0.00500	0.0000579	mg/L
127-18-4	Tetrachloroethene	0.00920	0.00500	0.000153	mg/L
108-88-3	Toluene	0.0000755U	0.00500	0.0000755	mg/L
79-01-6	Trichloroethene	0.014	0.00500	0.000118	mg/L
75-69-4	Trichlorofluoromethane	0.000138U	0.00500	0.000138	mg/L
76-13-1	Trichlorotrifluoroethane	0.000230U	0.00500	0.000230	mg/L
75-01-4	Vinyl chloride	0.000155U	0.00500	0.000155	mg/L
1330-20-7	Xylene (total)	0.000183U	0.010	0.000183	mg/L
156-59-2	cis-1,2-Dichloroethene	0.00870	0.00500	0.000162	mg/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.0000769U	0.00500	0.0000769	mg/L
156-60-5	trans-1,2-Dichloroethene	0.000122U	0.00500	0.000122	mg/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121714	OMS-28-5	Water	12/11/2008 11:10	12/12/2008 09:25

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	12/18/2008 12:20	RJU	402934

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	.05	.05	mg/L	100	75 - 120
1868-53-7	Dibromofluoromethane	.05	.051	mg/L	102	85 - 115
2037-26-5	Toluene d8	.05	.054	mg/L	108	85 - 120
17060-07-0	1,2-Dichloroethane-d4	.05	.046	mg/L	93	70 - 120

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121715	RINSATE-2	Water	12/11/2008 12:05	12/12/2008 09:25

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	12/18/2008 11:05	RJU	402934

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.0000963U	0.00500	0.0000963	mg/L
79-34-5	1,1,2,2-Tetrachloroethane	0.000154U	0.00500	0.000154	mg/L
79-00-5	1,1,2-Trichloroethane	0.0000928U	0.00500	0.0000928	mg/L
75-34-3	1,1-Dichloroethane	0.0000859U	0.00500	0.0000859	mg/L
75-35-4	1,1-Dichloroethene	0.000201U	0.00500	0.000201	mg/L
120-82-1	1,2,4-Trichlorobenzene	0.0000912U	0.00500	0.0000912	mg/L
96-12-8	1,2-Dibromo-3-chloropropane	0.000129U	0.00500	0.000129	mg/L
106-93-4	1,2-Dibromoethane	0.000202U	0.00500	0.000202	mg/L
95-50-1	1,2-Dichlorobenzene	0.0000690U	0.00500	0.0000690	mg/L
107-06-2	1,2-Dichloroethane	0.0000898U	0.00500	0.0000898	mg/L
78-87-5	1,2-Dichloropropane	0.0000960U	0.00500	0.0000960	mg/L
541-73-1	1,3-Dichlorobenzene	0.000132U	0.00500	0.000132	mg/L
106-46-7	1,4-Dichlorobenzene	0.0000572U	0.00500	0.0000572	mg/L
78-93-3	2-Butanone	0.000176U	0.00500	0.000176	mg/L
591-78-6	2-Hexanone	0.000105U	0.00500	0.000105	mg/L
108-10-1	4-Methyl-2-pentanone	0.0000781U	0.00500	0.0000781	mg/L
67-64-1	Acetone	0.000914U	0.025	0.000914	mg/L
71-43-2	Benzene	0.0000649U	0.00500	0.0000649	mg/L
75-27-4	Bromodichloromethane	0.000144U	0.00500	0.000144	mg/L
75-25-2	Bromoform	0.000172U	0.00500	0.000172	mg/L
74-83-9	Bromomethane	0.000271U	0.00500	0.000271	mg/L
75-15-0	Carbon disulfide	0.0000774U	0.00500	0.0000774	mg/L
56-23-5	Carbon tetrachloride	0.000156U	0.00500	0.000156	mg/L
108-90-7	Chlorobenzene	0.000287U	0.00500	0.000287	mg/L
75-00-3	Chloroethane	0.000181U	0.00500	0.000181	mg/L
67-66-3	Chloroform	0.000164U	0.00500	0.000164	mg/L
74-87-3	Chloromethane	0.000101U	0.00500	0.000101	mg/L
110-82-7	Cyclohexane	0.000105U	0.00500	0.000105	mg/L
124-48-1	Dibromochloromethane	0.0000975U	0.00500	0.0000975	mg/L
75-71-8	Dichlorodifluoromethane	0.0000829U	0.00500	0.0000829	mg/L
10061-01-5	cis-1,3-Dichloropropene	0.000116U	0.00500	0.000116	mg/L
10061-02-6	trans-1,3-Dichloropropene	0.0000623U	0.00500	0.0000623	mg/L
100-41-4	Ethylbenzene	0.0000652U	0.00500	0.0000652	mg/L
98-82-8	Isopropylbenzene (Cumene)	0.000135U	0.00500	0.000135	mg/L
79-20-9	Methyl Acetate	0.000994U	0.00500	0.000994	mg/L
108-87-2	Methylcyclohexane	0.0000754U	0.00500	0.0000754	mg/L
75-09-2	Methylene chloride	0.0000959U	0.010	0.0000959	mg/L
91-20-3	Naphthalene	0.000118U	0.00500	0.000118	mg/L
100-42-5	Styrene	0.0000579U	0.00500	0.0000579	mg/L
127-18-4	Tetrachloroethene	0.000153U	0.00500	0.000153	mg/L
108-88-3	Toluene	0.0000755U	0.00500	0.0000755	mg/L
79-01-6	Trichloroethene	0.000118U	0.00500	0.000118	mg/L
75-69-4	Trichlorofluoromethane	0.000138U	0.00500	0.000138	mg/L
76-13-1	Trichlorotrifluoroethane	0.000230U	0.00500	0.000230	mg/L
75-01-4	Vinyl chloride	0.000155U	0.00500	0.000155	mg/L
1330-20-7	Xylene (total)	0.000183U	0.010	0.000183	mg/L
156-59-2	cis-1,2-Dichloroethene	0.000162U	0.00500	0.000162	mg/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.0000769U	0.00500	0.0000769	mg/L
156-60-5	trans-1,2-Dichloroethene	0.000122U	0.00500	0.000122	mg/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121715	RINSATE-2	Water	12/11/2008 12:05	12/12/2008 09:25

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	12/18/2008 11:05	RJU	402934

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	.05	.051	mg/L	102	75 - 120
1868-53-7	Dibromofluoromethane	.05	.05	mg/L	101	85 - 115
2037-26-5	Toluene d8	.05	.055	mg/L	111	85 - 120
17060-07-0	1,2-Dichloroethane-d4	.05	.046	mg/L	93	70 - 120

GCAL ID 20812121716	Client ID DUP-2	Matrix Water	Collect Date/Time 12/11/2008 00:00	Receive Date/Time 12/12/2008 09:25
-------------------------------	---------------------------	------------------------	--	--

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution 1	Analyzed 12/18/2008 11:30	By RJU	Analytical Batch 402934
------------------	-------------------	--------------------	----------------------	-------------------------------------	------------------	-----------------------------------

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.0000963U	0.00500	0.0000963	mg/L
79-34-5	1,1,2,2-Tetrachloroethane	0.000154U	0.00500	0.000154	mg/L
79-00-5	1,1,2-Trichloroethane	0.0000928U	0.00500	0.0000928	mg/L
75-34-3	1,1-Dichloroethane	0.0000859U	0.00500	0.0000859	mg/L
75-35-4	1,1-Dichloroethene	0.000201U	0.00500	0.000201	mg/L
120-82-1	1,2,4-Trichlorobenzene	0.0000912U	0.00500	0.0000912	mg/L
96-12-8	1,2-Dibromo-3-chloropropane	0.000129U	0.00500	0.000129	mg/L
106-93-4	1,2-Dibromoethane	0.000202U	0.00500	0.000202	mg/L
95-50-1	1,2-Dichlorobenzene	0.0000690U	0.00500	0.0000690	mg/L
107-06-2	1,2-Dichloroethane	0.0000898U	0.00500	0.0000898	mg/L
78-87-5	1,2-Dichloropropane	0.0000960U	0.00500	0.0000960	mg/L
541-73-1	1,3-Dichlorobenzene	0.000132U	0.00500	0.000132	mg/L
106-46-7	1,4-Dichlorobenzene	0.0000572U	0.00500	0.0000572	mg/L
78-93-3	2-Butanone	0.000176U	0.00500	0.000176	mg/L
591-78-6	2-Hexanone	0.000105U	0.00500	0.000105	mg/L
108-10-1	4-Methyl-2-pentanone	0.0000781U	0.00500	0.0000781	mg/L
67-64-1	Acetone	0.000914U	0.025	0.000914	mg/L
71-43-2	Benzene	0.0000649U	0.00500	0.0000649	mg/L
75-27-4	Bromodichloromethane	0.000144U	0.00500	0.000144	mg/L
75-25-2	Bromoform	0.000172U	0.00500	0.000172	mg/L
74-83-9	Bromomethane	0.000271U	0.00500	0.000271	mg/L
75-15-0	Carbon disulfide	0.0000774U	0.00500	0.0000774	mg/L
56-23-5	Carbon tetrachloride	0.000156U	0.00500	0.000156	mg/L
108-90-7	Chlorobenzene	0.000287U	0.00500	0.000287	mg/L
75-00-3	Chloroethane	0.000181U	0.00500	0.000181	mg/L
67-66-3	Chloroform	0.000164U	0.00500	0.000164	mg/L
74-87-3	Chloromethane	0.000101U	0.00500	0.000101	mg/L
110-82-7	Cyclohexane	0.000105U	0.00500	0.000105	mg/L
124-48-1	Dibromochloromethane	0.0000975U	0.00500	0.0000975	mg/L
75-71-8	Dichlorodifluoromethane	0.0000829U	0.00500	0.0000829	mg/L
10061-01-5	cis-1,3-Dichloropropene	0.000116U	0.00500	0.000116	mg/L
10061-02-6	trans-1,3-Dichloropropene	0.0000623U	0.00500	0.0000623	mg/L
100-41-4	Ethylbenzene	0.0000652U	0.00500	0.0000652	mg/L
98-82-8	Isopropylbenzene (Cumene)	0.000135U	0.00500	0.000135	mg/L
79-20-9	Methyl Acetate	0.000994U	0.00500	0.000994	mg/L
108-87-2	Methylcyclohexane	0.0000754U	0.00500	0.0000754	mg/L
75-09-2	Methylene chloride	0.0000959U	0.010	0.0000959	mg/L
91-20-3	Naphthalene	0.000118U	0.00500	0.000118	mg/L
100-42-5	Styrene	0.0000579U	0.00500	0.0000579	mg/L
127-18-4	Tetrachloroethene	0.000153U	0.00500	0.000153	mg/L
108-88-3	Toluene	0.0000755U	0.00500	0.0000755	mg/L
79-01-6	Trichloroethene	0.046	0.00500	0.000118	mg/L
75-69-4	Trichlorofluoromethane	0.000138U	0.00500	0.000138	mg/L
76-13-1	Trichlorotrifluoroethane	0.000230U	0.00500	0.000230	mg/L
75-01-4	Vinyl chloride	0.000155U	0.00500	0.000155	mg/L
1330-20-7	Xylene (total)	0.000183U	0.010	0.000183	mg/L
156-59-2	cis-1,2-Dichloroethene	0.00316J	0.00500	0.000162	mg/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.0000769U	0.00500	0.0000769	mg/L
156-60-5	trans-1,2-Dichloroethene	0.000122U	0.00500	0.000122	mg/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121716	DUP-2	Water	12/11/2008 00:00	12/12/2008 09:25

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	12/18/2008 11:30	RJU	402934

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	.05	.05	mg/L	101	75 - 120
1868-53-7	Dibromofluoromethane	.05	.051	mg/L	101	85 - 115
2037-26-5	Toluene d8	.05	.055	mg/L	110	85 - 120
17060-07-0	1,2-Dichloroethane-d4	.05	.046	mg/L	93	70 - 120

GCAL ID 20812121717	Client ID TRIP	Matrix Water	Collect Date/Time	Receive Date/Time 12/12/2008 09:25
-------------------------------	--------------------------	------------------------	--------------------------	--

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution 1	Analyzed 12/18/2008 12:44	By RJU	Analytical Batch 402934
------------------	-------------------	--------------------	----------------------	-------------------------------------	------------------	-----------------------------------

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.0000963U	0.00500	0.0000963	mg/L
79-34-5	1,1,2,2-Tetrachloroethane	0.000154U	0.00500	0.000154	mg/L
79-00-5	1,1,2-Trichloroethane	0.0000928U	0.00500	0.0000928	mg/L
75-34-3	1,1-Dichloroethane	0.0000859U	0.00500	0.0000859	mg/L
75-35-4	1,1-Dichloroethene	0.000201U	0.00500	0.000201	mg/L
120-82-1	1,2,4-Trichlorobenzene	0.0000912U	0.00500	0.0000912	mg/L
96-12-8	1,2-Dibromo-3-chloropropane	0.000129U	0.00500	0.000129	mg/L
106-93-4	1,2-Dibromoethane	0.000202U	0.00500	0.000202	mg/L
95-50-1	1,2-Dichlorobenzene	0.0000690U	0.00500	0.0000690	mg/L
107-06-2	1,2-Dichloroethane	0.0000898U	0.00500	0.0000898	mg/L
78-87-5	1,2-Dichloropropane	0.0000960U	0.00500	0.0000960	mg/L
541-73-1	1,3-Dichlorobenzene	0.000132U	0.00500	0.000132	mg/L
106-46-7	1,4-Dichlorobenzene	0.0000572U	0.00500	0.0000572	mg/L
78-93-3	2-Butanone	0.000176U	0.00500	0.000176	mg/L
591-78-6	2-Hexanone	0.000105U	0.00500	0.000105	mg/L
108-10-1	4-Methyl-2-pentanone	0.0000781U	0.00500	0.0000781	mg/L
67-64-1	Acetone	0.000914U	0.025	0.000914	mg/L
71-43-2	Benzene	0.0000649U	0.00500	0.0000649	mg/L
75-27-4	Bromodichloromethane	0.000144U	0.00500	0.000144	mg/L
75-25-2	Bromoform	0.000172U	0.00500	0.000172	mg/L
74-83-9	Bromomethane	0.000271U	0.00500	0.000271	mg/L
75-15-0	Carbon disulfide	0.0000774U	0.00500	0.0000774	mg/L
56-23-5	Carbon tetrachloride	0.000156U	0.00500	0.000156	mg/L
108-90-7	Chlorobenzene	0.000287U	0.00500	0.000287	mg/L
75-00-3	Chloroethane	0.000181U	0.00500	0.000181	mg/L
67-66-3	Chloroform	0.000164U	0.00500	0.000164	mg/L
74-87-3	Chloromethane	0.000101U	0.00500	0.000101	mg/L
110-82-7	Cyclohexane	0.000105U	0.00500	0.000105	mg/L
124-48-1	Dibromochloromethane	0.0000975U	0.00500	0.0000975	mg/L
75-71-8	Dichlorodifluoromethane	0.0000829U	0.00500	0.0000829	mg/L
10061-01-5	cis-1,3-Dichloropropene	0.000116U	0.00500	0.000116	mg/L
10061-02-6	trans-1,3-Dichloropropene	0.0000623U	0.00500	0.0000623	mg/L
100-41-4	Ethylbenzene	0.0000652U	0.00500	0.0000652	mg/L
98-82-8	Isopropylbenzene (Cumene)	0.000135U	0.00500	0.000135	mg/L
79-20-9	Methyl Acetate	0.000994U	0.00500	0.000994	mg/L
108-87-2	Methylcyclohexane	0.0000754U	0.00500	0.0000754	mg/L
75-09-2	Methylene chloride	0.0000959U	0.010	0.0000959	mg/L
91-20-3	Naphthalene	0.000118U	0.00500	0.000118	mg/L
100-42-5	Styrene	0.0000579U	0.00500	0.0000579	mg/L
127-18-4	Tetrachloroethene	0.000153U	0.00500	0.000153	mg/L
108-88-3	Toluene	0.0000755U	0.00500	0.0000755	mg/L
79-01-6	Trichloroethene	0.000118U	0.00500	0.000118	mg/L
75-69-4	Trichlorofluoromethane	0.000138U	0.00500	0.000138	mg/L
76-13-1	Trichlorotrifluoroethane	0.000230U	0.00500	0.000230	mg/L
75-01-4	Vinyl chloride	0.000155U	0.00500	0.000155	mg/L
1330-20-7	Xylene (total)	0.000183U	0.010	0.000183	mg/L
156-59-2	cis-1,2-Dichloroethene	0.000162U	0.00500	0.000162	mg/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.0000769U	0.00500	0.0000769	mg/L
156-60-5	trans-1,2-Dichloroethene	0.000122U	0.00500	0.000122	mg/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20812121717	TRIP	Water		12/12/2008 09:25

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	12/18/2008 12:44	RJU	402934

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	.05	.05	mg/L	100	75 - 120
1868-53-7	Dibromofluoromethane	.05	.051	mg/L	102	85 - 115
2037-26-5	Toluene d8	.05	.055	mg/L	109	85 - 120
17060-07-0	1,2-Dichloroethane-d4	.05	.046	mg/L	92	70 - 120

GC/MS Volatiles Quality Control Summary

Analytical Batch 402720 Prep Batch N/A		Client ID MB402720 GCAL ID 677382 Sample Type Method Blank Analytical Date 12/15/2008 15:43 Matrix Water		LCS402720 677383 LCS 12/15/2008 14:30 Water			LCSD402720 677384 LCSD 12/15/2008 14:55 Water				
SW-846 8260B		Units	mg/L	Spike	Result	% R	Control	Result	% R	RPD	RPD
		Result	RDL	Added			Limits % R				Limit
67-64-1	Acetone	0.000914U	0.000914	0.050	0.045	90	40 - 140	0.044	88	2	30
75-27-4	Bromodichloromethane	0.000144U	0.000144	0.050	0.049	97	75 - 120	0.046	92	6	30
75-25-2	Bromoform	0.000172U	0.000172	0.050	0.053	106	70 - 130	0.052	104	2	30
74-83-9	Bromomethane	0.000271U	0.000271	0.050	0.055	111	30 - 145	0.051	102	8	30
75-15-0	Carbon disulfide	0.0000774U	0.0000774	0.050	0.052	104	35 - 160	0.047	95	10	30
56-23-5	Carbon tetrachloride	0.000156U	0.000156	0.050	0.050	100	65 - 140	0.046	91	8	30
75-00-3	Chloroethane	0.000181U	0.000181	0.050	0.053	106	60 - 135	0.047	94	12	30
67-66-3	Chloroform	0.000164U	0.000164	0.050	0.051	103	65 - 135	0.048	96	6	30
74-87-3	Chloromethane	0.000101U	0.000101	0.050	0.049	98	40 - 125	0.043	86	13	30
124-48-1	Dibromochloromethane	0.0000975U	0.0000975	0.050	0.049	98	60 - 135	0.048	96	2	30
75-71-8	Dichlorodifluoromethane	0.0000829U	0.0000829	0.050	0.050	99	30 - 155	0.046	93	8	30
75-34-3	1,1-Dichloroethane	0.0000859U	0.0000859	0.050	0.049	98	70 - 135	0.045	90	9	30
107-06-2	1,2-Dichloroethane	0.0000898U	0.0000898	0.050	0.047	94	70 - 130	0.044	88	7	30
156-59-2	cis-1,2-Dichloroethene	0.000162U	0.000162	0.050	0.049	97	70 - 125	0.045	91	9	30
156-60-5	trans-1,2-Dichloroethene	0.000122U	0.000122	0.050	0.048	95	60 - 140	0.044	89	9	30
75-09-2	Methylene chloride	0.0000959U	0.0000959	0.050	0.049	97	55 - 140	0.045	89	9	30
78-87-5	1,2-Dichloropropane	0.0000960U	0.0000960	0.050	0.050	99	75 - 125	0.046	92	8	30
10061-01-5	cis-1,3-Dichloropropene	0.000116U	0.000116	0.050	0.053	107	70 - 130	0.050	101	6	30
10061-02-6	trans-1,3-Dichloropropene	0.0000623U	0.0000623	0.050	0.054	107	55 - 140	0.051	102	6	30
100-41-4	Ethylbenzene	0.0000652U	0.0000652	0.050	0.055	110	75 - 125	0.052	104	6	30
591-78-6	2-Hexanone	0.000105U	0.000105	0.050	0.053	105	55 - 130	0.053	105	0	30
98-82-8	Isopropylbenzene (Cumene)	0.000135U	0.000135	0.050	0.050	100	75 - 125	0.047	93	6	30
78-93-3	2-Butanone	0.000176U	0.000176	0.050	0.050	99	30 - 150	0.049	98	2	30
108-10-1	4-Methyl-2-pentanone	0.0000781U	0.0000781	0.050	0.049	99	60 - 135	0.049	98	0	30
100-42-5	Styrene	0.0000579U	0.0000579	0.050	0.050	100	65 - 135	0.048	95	4	30
127-18-4	Tetrachloroethene	0.000153U	0.000153	0.050	0.050	99	45 - 150	0.047	93	6	30
79-34-5	1,1,2,2-Tetrachloroethane	0.000154U	0.000154	0.050	0.048	97	65 - 130	0.047	94	2	30
120-82-1	1,2,4-Trichlorobenzene	0.0000912U	0.0000912	0.050	0.047	95	65 - 135	0.047	95	0	30
71-55-6	1,1,1-Trichloroethane	0.0000963U	0.0000963	0.050	0.050	99	65 - 130	0.045	90	11	30
79-00-5	1,1,2-Trichloroethane	0.0000928U	0.0000928	0.050	0.045	90	75 - 125	0.044	89	2	30
75-69-4	Trichlorofluoromethane	0.000138U	0.000138	0.050	0.049	98	60 - 145	0.044	88	11	30
75-01-4	Vinyl chloride	0.000155U	0.000155	0.050	0.049	99	50 - 145	0.044	89	11	30
96-12-8	1,2-Dibromo-3-chloropropane	0.000129U	0.000129	0.050	0.052	103	50 - 130	0.054	108	4	30

GC/MS Volatiles Quality Control Summary

Analytical Batch 402720 Prep Batch N/A		Client ID MB402720 GCAL ID 677382 Sample Type Method Blank Analytical Date 12/15/2008 15:43 Matrix Water			LCS402720 677383 LCS 12/15/2008 14:30 Water			LCSD402720 677384 LCSD 12/15/2008 14:55 Water			
SW-846 8260B		Units	mg/L	Spike	Result	% R	Control	Result	% R	RPD	RPD
		Result	RDL	Added			Limits % R				Limit
106-93-4	1,2-Dibromoethane	0.000202U	0.000202	0.050	0.048	96	80 - 120	0.047	95	2	30
1634-04-4	tert-Butyl methyl ether (MTBE)	0.0000769U	0.0000769	0.050	0.049	99	65 - 125	0.049	98	0	30
1330-20-7	Xylene (total)	0.000183U	0.000183	0.150	0.151	101	75 - 130	0.142	95	6	30
108-87-2	Methylcyclohexane	0.0000754U	0.0000754	0.050	0.054	108	77 - 123	0.050	100	8	30
110-82-7	Cyclohexane	0.000105U	0.000105	0.050	0.052	105	71 - 127	0.048	95	8	30
79-20-9	Methyl Acetate	0.000994U	0.000994	0.050	0.043	86	55 - 134	0.043	87	0	30
76-13-1	Trichlorotrifluoroethane	0.000230U	0.000230	0.050	0.049	99	72 - 130	0.045	90	9	30
541-73-1	1,3-Dichlorobenzene	0.000132U	0.000132	0.050	0.053	105	65 - 130	0.050	100	6	30
106-46-7	1,4-Dichlorobenzene	0.0000572U	0.0000572	0.050	0.048	97	65 - 130	0.045	91	6	30
95-50-1	1,2-Dichlorobenzene	0.0000690U	0.0000690	0.050	0.052	104	70 - 120	0.050	100	4	30
91-20-3	Naphthalene	0.00441J	0.000118	0.050	0.045	91	55 - 140	0.047	95	4	30
75-35-4	1,1-Dichloroethene	0.000201U	0.000201	0.050	0.048	95	70 - 130	0.043	87	11	30
71-43-2	Benzene	0.0000649U	0.0000649	0.050	0.048	97	80 - 120	0.045	90	6	30
79-01-6	Trichloroethene	0.000118U	0.000118	0.050	0.050	100	70 - 125	0.047	93	6	30
108-88-3	Toluene	0.0000755U	0.0000755	0.050	0.050	99	75 - 120	0.047	93	6	30
108-90-7	Chlorobenzene	0.000287U	0.000287	0.050	0.049	97	80 - 120	0.046	92	6	30
Surrogate											
460-00-4	4-Bromofluorobenzene	45.5	91	50	52.5	105	75 - 120	53.3	107		
1868-53-7	Dibromofluoromethane	49.6	99	50	50.7	101	85 - 115	49.8	100		
2037-26-5	Toluene d8	51.2	102	50	48.6	97	85 - 120	49.1	98		
17060-07-0	1,2-Dichloroethane-d4	48.2	96	50	51.3	103	70 - 120	49.7	99		

Analytical Batch 402862 Prep Batch N/A		Client ID MB402862 GCAL ID 678023 Sample Type Method Blank Analytical Date 12/17/2008 11:10 Matrix Water			LCS402862 678024 LCS 12/17/2008 09:57 Water			LCSD402862 678025 LCSD 12/17/2008 10:21 Water			
SW-846 8260B		Units	mg/L	Spike	Result	% R	Control	Result	% R	RPD	RPD
		Result	RDL	Added			Limits % R				Limit
67-64-1	Acetone	0.000914U	0.000914	0.050	0.043	86	40 - 140	0.040	81	7	30
75-27-4	Bromodichloromethane	0.000144U	0.000144	0.050	0.048	96	75 - 120	0.046	92	4	30
75-25-2	Bromoform	0.000172U	0.000172	0.050	0.058	115	70 - 130	0.055	110	5	30

GC/MS Volatiles Quality Control Summary

Analytical Batch 402862 Prep Batch N/A		Client ID GCAL ID Sample Type Analytical Date Matrix		MB402862 678023 Method Blank 12/17/2008 11:10 Water			LCS402862 678024 LCS 12/17/2008 09:57 Water			LCSD402862 678025 LCSD 12/17/2008 10:21 Water			
SW-846 8260B		Units	mg/L	Spike	Result	% R	Control	Result	% R	RPD	RPD		
		Result	RDL	Added			Limits % R				Limit		
74-83-9	Bromomethane	0.000271U	0.000271	0.050	0.046	92	30 - 145	0.045	89	2	30		
75-15-0	Carbon disulfide	0.0000774U	0.0000774	0.050	0.051	102	35 - 160	0.041	82	22	30		
56-23-5	Carbon tetrachloride	0.000156U	0.000156	0.050	0.051	102	65 - 140	0.043	86	17	30		
75-00-3	Chloroethane	0.000181U	0.000181	0.050	0.054	108	60 - 135	0.040	80	30	30		
67-66-3	Chloroform	0.000164U	0.000164	0.050	0.051	102	65 - 135	0.046	92	10	30		
74-87-3	Chloromethane	0.000101U	0.000101	0.050	0.040	80	40 - 125	0.036	73	11	30		
124-48-1	Dibromochloromethane	0.0000975U	0.0000975	0.050	0.053	107	60 - 135	0.051	103	4	30		
75-71-8	Dichlorodifluoromethane	0.0000829U	0.0000829	0.050	0.047	94	30 - 155	0.037	75	24	30		
75-34-3	1,1-Dichloroethane	0.0000859U	0.0000859	0.050	0.047	93	70 - 135	0.042	84	11	30		
107-06-2	1,2-Dichloroethane	0.0000898U	0.0000898	0.050	0.045	89	70 - 130	0.043	86	5	30		
156-59-2	cis-1,2-Dichloroethene	0.000162U	0.000162	0.050	0.046	92	70 - 125	0.042	85	9	30		
156-60-5	trans-1,2-Dichloroethene	0.000122U	0.000122	0.050	0.046	92	60 - 140	0.040	81	14	30		
75-09-2	Methylene chloride	0.0000959U	0.0000959	0.050	0.045	90	55 - 140	0.041	82	9	30		
78-87-5	1,2-Dichloropropane	0.0000960U	0.0000960	0.050	0.047	93	75 - 125	0.045	89	4	30		
10061-01-5	cis-1,3-Dichloropropene	0.000116U	0.000116	0.050	0.052	103	70 - 130	0.050	100	4	30		
10061-02-6	trans-1,3-Dichloropropene	0.0000623U	0.0000623	0.050	0.051	102	55 - 140	0.050	100	2	30		
100-41-4	Ethylbenzene	0.0000652U	0.0000652	0.050	0.060	119	75 - 125	0.052	104	14	30		
591-78-6	2-Hexanone	0.000105U	0.000105	0.050	0.047	94	55 - 130	0.048	96	2	30		
98-82-8	Isopropylbenzene (Cumene)	0.000135U	0.000135	0.050	0.054	108	75 - 125	0.046	92	16	30		
78-93-3	2-Butanone	0.000176U	0.000176	0.050	0.044	89	30 - 150	0.042	85	5	30		
108-10-1	4-Methyl-2-pentanone	0.0000781U	0.0000781	0.050	0.043	86	60 - 135	0.042	84	2	30		
100-42-5	Styrene	0.0000579U	0.0000579	0.050	0.053	106	65 - 135	0.049	98	8	30		
127-18-4	Tetrachloroethene	0.000153U	0.000153	0.050	0.056	112	45 - 150	0.048	97	15	30		
79-34-5	1,1,2,2-Tetrachloroethane	0.000154U	0.000154	0.050	0.045	89	65 - 130	0.045	90	0	30		
120-82-1	1,2,4-Trichlorobenzene	0.0000912U	0.0000912	0.050	0.048	96	65 - 135	0.046	93	4	30		
71-55-6	1,1,1-Trichloroethane	0.0000963U	0.0000963	0.050	0.049	97	65 - 130	0.043	85	13	30		
79-00-5	1,1,2-Trichloroethane	0.0000928U	0.0000928	0.050	0.048	96	75 - 125	0.046	93	4	30		
75-69-4	Trichlorofluoromethane	0.000138U	0.000138	0.050	0.050	100	60 - 145	0.040	79	22	30		
75-01-4	Vinyl chloride	0.000155U	0.000155	0.050	0.046	91	50 - 145	0.037	74	22	30		
96-12-8	1,2-Dibromo-3-chloropropane	0.000129U	0.000129	0.050	0.048	95	50 - 130	0.051	101	6	30		
106-93-4	1,2-Dibromoethane	0.000202U	0.000202	0.050	0.050	101	80 - 120	0.050	100	0	30		
1634-04-4	tert-Butyl methyl ether (MTBE)	0.0000769U	0.0000769	0.050	0.045	90	65 - 125	0.046	91	2	30		
1330-20-7	Xylene (total)	0.000183U	0.000183	0.150	0.161	107	75 - 130	0.143	95	12	30		

GC/MS Volatiles Quality Control Summary

Analytical Batch 402862 Prep Batch N/A		Client ID GCAL ID Sample Type Analytical Date Matrix		MB402862 678023 Method Blank 12/17/2008 11:10 Water			LCS402862 678024 LCS 12/17/2008 09:57 Water			LCSD402862 678025 LCSD 12/17/2008 10:21 Water			
SW-846 8260B				Units Result	mg/L RDL	Spike Added	Result	% R	Control Limits % R	Result	% R	RPD	RPD Limit
108-87-2	Methylcyclohexane	0.0000754U	0.0000754	0.050	0.057	114	77 - 123	0.046	91	21	30		
110-82-7	Cyclohexane	0.000105U	0.000105	0.050	0.050	101	71 - 127	0.042	83	17	30		
79-20-9	Methyl Acetate	0.000994U	0.000994	0.050	0.044	88	55 - 134	0.039	78	12	30		
76-13-1	Trichlorotrifluoroethane	0.000230U	0.000230	0.050	0.052	103	72 - 130	0.042	83	21	30		
541-73-1	1,3-Dichlorobenzene	0.000132U	0.000132	0.050	0.054	108	65 - 130	0.050	101	8	30		
106-46-7	1,4-Dichlorobenzene	0.0000572U	0.0000572	0.050	0.049	98	65 - 130	0.046	92	6	30		
95-50-1	1,2-Dichlorobenzene	0.0000690U	0.0000690	0.050	0.052	104	70 - 120	0.050	100	4	30		
91-20-3	Naphthalene	0.000118U	0.000118	0.050	0.041	81	55 - 140	0.044	87	7	30		
75-35-4	1,1-Dichloroethene	0.000201U	0.000201	0.050	0.048	96	70 - 130	0.040	79	18	30		
71-43-2	Benzene	0.0000649U	0.0000649	0.050	0.047	93	80 - 120	0.042	85	11	30		
79-01-6	Trichloroethene	0.000118U	0.000118	0.050	0.051	103	70 - 125	0.045	91	13	30		
108-88-3	Toluene	0.0000755U	0.0000755	0.050	0.052	105	75 - 120	0.047	94	10	30		
108-90-7	Chlorobenzene	0.000287U	0.000287	0.050	0.052	104	80 - 120	0.048	96	8	30		
Surrogate													
460-00-4	4-Bromofluorobenzene	48	96	50	57.9	116	75 - 120	56.8	114				
1868-53-7	Dibromofluoromethane	49.6	99	50	51.1	102	85 - 115	50.3	101				
2037-26-5	Toluene d8	51.5	103	50	51.5	103	85 - 120	51.1	102				
17060-07-0	1,2-Dichloroethane-d4	46	92	50	48.9	98	70 - 120	47.4	95				

Analytical Batch 402934 Prep Batch N/A		Client ID GCAL ID Sample Type Analytical Date Matrix		MB402934 678415 Method Blank 12/18/2008 08:36 Water			LCS402934 678416 LCS 12/18/2008 07:24 Water			LCSD402934 678417 LCSD 12/18/2008 07:48 Water			
SW-846 8260B				Units Result	mg/L RDL	Spike Added	Result	% R	Control Limits % R	Result	% R	RPD	RPD Limit
67-64-1	Acetone	0.000914U	0.000914	0.050	0.042	84	40 - 140	0.047	94	11	30		
75-27-4	Bromodichloromethane	0.000144U	0.000144	0.050	0.047	95	75 - 120	0.047	93	0	30		
75-25-2	Bromoform	0.000172U	0.000172	0.050	0.056	112	70 - 130	0.059	118	5	30		
74-83-9	Bromomethane	0.000271U	0.000271	0.050	0.052	104	30 - 145	0.044	89	17	30		
75-15-0	Carbon disulfide	0.0000774U	0.0000774	0.050	0.050	100	35 - 160	0.042	85	17	30		
56-23-5	Carbon tetrachloride	0.000156U	0.000156	0.050	0.051	103	65 - 140	0.046	92	10	30		

GC/MS Volatiles Quality Control Summary

Analytical Batch 402934 Prep Batch N/A		Client ID MB402934 GCAL ID 678415 Sample Type Method Blank Analytical Date 12/18/2008 08:36 Matrix Water		LCS402934 678416 LCS 12/18/2008 07:24 Water			LCSD402934 678417 LCSD 12/18/2008 07:48 Water				
SW-846 8260B		Units	mg/L	Spike	Result	% R	Control	Result	% R	RPD	RPD
		Result	RDL	Added			Limits % R				Limit
75-00-3	Chloroethane	0.000181U	0.000181	0.050	0.049	98	60 - 135	0.036	73	31*	30
67-66-3	Chloroform	0.000164U	0.000164	0.050	0.050	99	65 - 135	0.048	95	4	30
74-87-3	Chloromethane	0.000101U	0.000101	0.050	0.041	81	40 - 125	0.035	71	16	30
124-48-1	Dibromochloromethane	0.0000975U	0.0000975	0.050	0.052	105	60 - 135	0.053	105	2	30
75-71-8	Dichlorodifluoromethane	0.0000829U	0.0000829	0.050	0.045	90	30 - 155	0.038	77	17	30
75-34-3	1,1-Dichloroethane	0.0000859U	0.0000859	0.050	0.045	90	70 - 135	0.042	85	7	30
107-06-2	1,2-Dichloroethane	0.0000898U	0.0000898	0.050	0.043	85	70 - 130	0.042	85	2	30
156-59-2	cis-1,2-Dichloroethene	0.000162U	0.000162	0.050	0.044	88	70 - 125	0.042	85	5	30
156-60-5	trans-1,2-Dichloroethene	0.000122U	0.000122	0.050	0.045	90	60 - 140	0.041	82	9	30
75-09-2	Methylene chloride	0.0000959U	0.0000959	0.050	0.043	85	55 - 140	0.040	79	7	30
78-87-5	1,2-Dichloropropane	0.0000960U	0.0000960	0.050	0.045	90	75 - 125	0.044	89	2	30
10061-01-5	cis-1,3-Dichloropropene	0.000116U	0.000116	0.050	0.050	101	70 - 130	0.050	100	0	30
10061-02-6	trans-1,3-Dichloropropene	0.0000623U	0.0000623	0.050	0.050	100	55 - 140	0.052	104	4	30
100-41-4	Ethylbenzene	0.0000652U	0.0000652	0.050	0.059	117	75 - 125	0.055	110	7	30
591-78-6	2-Hexanone	0.000105U	0.000105	0.050	0.043	86	55 - 130	0.053	105	21	30
98-82-8	Isopropylbenzene (Cumene)	0.000135U	0.000135	0.050	0.053	106	75 - 125	0.048	97	10	30
78-93-3	2-Butanone	0.000176U	0.000176	0.050	0.043	85	30 - 150	0.048	96	11	30
108-10-1	4-Methyl-2-pentanone	0.0000781U	0.0000781	0.050	0.040	81	60 - 135	0.046	92	14	30
100-42-5	Styrene	0.0000579U	0.0000579	0.050	0.052	103	65 - 135	0.050	100	4	30
127-18-4	Tetrachloroethene	0.000153U	0.000153	0.050	0.055	111	45 - 150	0.052	103	6	30
79-34-5	1,1,2,2-Tetrachloroethane	0.000154U	0.000154	0.050	0.043	85	65 - 130	0.046	93	7	30
120-82-1	1,2,4-Trichlorobenzene	0.0000912U	0.0000912	0.050	0.047	93	65 - 135	0.050	99	6	30
71-55-6	1,1,1-Trichloroethane	0.0000963U	0.0000963	0.050	0.049	98	65 - 130	0.045	90	9	30
79-00-5	1,1,2-Trichloroethane	0.0000928U	0.0000928	0.050	0.046	93	75 - 125	0.047	94	2	30
75-69-4	Trichlorofluoromethane	0.000138U	0.000138	0.050	0.049	99	60 - 145	0.041	81	18	30
75-01-4	Vinyl chloride	0.000155U	0.000155	0.050	0.044	88	50 - 145	0.038	75	15	30
96-12-8	1,2-Dibromo-3-chloropropane	0.000129U	0.000129	0.050	0.047	94	50 - 130	0.056	112	17	30
106-93-4	1,2-Dibromoethane	0.000202U	0.000202	0.050	0.048	95	80 - 120	0.052	105	8	30
1634-04-4	tert-Butyl methyl ether (MTBE)	0.0000769U	0.0000769	0.050	0.043	87	65 - 125	0.047	93	9	30
1330-20-7	Xylene (total)	0.000183U	0.000183	0.150	0.158	105	75 - 130	0.149	99	6	30
108-87-2	Methylcyclohexane	0.0000754U	0.0000754	0.050	0.056	112	77 - 123	0.049	98	13	30
110-82-7	Cyclohexane	0.000105U	0.000105	0.050	0.049	98	71 - 127	0.044	87	11	30
79-20-9	Methyl Acetate	0.000994U	0.000994	0.050	0.041	81	55 - 134	0.039	78	5	30

GC/MS Volatiles Quality Control Summary

Analytical Batch 402934 Prep Batch N/A		Client ID MB402934 GCAL ID 678415 Sample Type Method Blank Analytical Date 12/18/2008 08:36 Matrix Water		LCS402934 678416 LCS 12/18/2008 07:24 Water			LCSD402934 678417 LCSD 12/18/2008 07:48 Water				
SW-846 8260B		Units	mg/L	Spike	Result	% R	Control	Result	% R	RPD	RPD
		Result	RDL	Added			Limits % R				Limit
76-13-1	Trichlorotrifluoroethane	0.000230U	0.000230	0.050	0.052	103	72 - 130	0.044	87	17	30
541-73-1	1,3-Dichlorobenzene	0.000132U	0.000132	0.050	0.053	105	65 - 130	0.051	103	4	30
106-46-7	1,4-Dichlorobenzene	0.0000572U	0.0000572	0.050	0.048	96	65 - 130	0.047	93	2	30
95-50-1	1,2-Dichlorobenzene	0.0000690U	0.0000690	0.050	0.051	103	70 - 120	0.051	102	0	30
91-20-3	Naphthalene	0.000118U	0.000118	0.050	0.040	81	55 - 140	0.048	95	18	30
75-35-4	1,1-Dichloroethene	0.000201U	0.000201	0.050	0.047	94	70 - 130	0.041	83	14	30
71-43-2	Benzene	0.0000649U	0.0000649	0.050	0.045	90	80 - 120	0.043	86	5	30
79-01-6	Trichloroethene	0.000118U	0.000118	0.050	0.051	102	70 - 125	0.048	96	6	30
108-88-3	Toluene	0.0000755U	0.0000755	0.050	0.050	100	75 - 120	0.048	96	4	30
108-90-7	Chlorobenzene	0.000287U	0.000287	0.050	0.051	101	80 - 120	0.048	97	6	30
Surrogate											
460-00-4	4-Bromofluorobenzene	49.7	99	50	58.7	117	75 - 120	57.8	116		
1868-53-7	Dibromofluoromethane	50	100	50	52	104	85 - 115	50.2	100		
2037-26-5	Toluene d8	53.2	106	50	50.8	102	85 - 120	50.7	101		
17060-07-0	1,2-Dichloroethane-d4	45.9	92	50	49.1	98	70 - 120	47.6	95		

CASE NARRATIVE

Client: Aerostar **Report:** 208121217

Gulf Coast Analytical Laboratories received and analyzed the sample(s) listed on the sample cross-reference page of this report. Receipt of the sample(s) is documented by the attached chain of custody. This applies only to the sample(s) listed in this report. No sample integrity or quality control exceptions were identified unless noted below.

This report was resubmitted on 01/07/09. The SW-846 8260B data for samples 20812121708 (DUP) and 20812121709 (MW-8) has been revised. The sample containers were switched on the autosampler and therefore the data in the original report was incorrect for these samples. All affected pages have been revised.

Additional Flags:

Q- LCS/LCSD recovery and/or RPD was outside control limits/CCV did not meet acceptance criteria.

VOLATILES MASS SPECTROMETRY

In the SW-846 8260B analysis, sample 20812121713 (OMS-28-3) had to be diluted to bracket the concentration of a target compound within the calibration range of the instrument.

In the SW-846 8260B analysis for analytical batch 402934, the LCS/LCSD RPD was above the control limit for Chloroethane.

In the SW-846 8260B analysis for analytical batch 402720, Naphthalene was detected at an estimated concentration greater than ½ the RL. This is a common lab contaminant and is acceptable at < RL. This compound was not detected in the associated samples.

Laboratory Endorsement

Sample analysis was performed in accordance with approved methodologies provided by the Environmental Protection Agency or other recognized agencies. The samples and their corresponding extracts will be maintained for a period of 30 days unless otherwise arranged. Following this retention period the samples will be disposed in accordance with GCAL's Standard Operating Procedures.

Common Abbreviations Utilized in this Report

ND	Indicates the result was Not Detected at the specified RDL
DO	Indicates the result was Diluted Out
MI	Indicates the result was subject to Matrix Interference
TNTC	Indicates the result was Too Numerous To Count
SUBC	Indicates the analysis was Sub-Contracted
FLD	Indicates the analysis was performed in the Field
PQL	Practical Quantitation Limit
MDL	Method Detection Limit
RDL	Reporting Detection Limit
00:00	Reported as a time equivalent to 12:00 AM

Reporting Flags Utilized in this Report

J	Indicates an estimated value
U	Indicates the compound was analyzed for but not detected
B	(ORGANICS) Indicates the analyte was detected in the associated Method Blank
B	(INORGANICS) Indicates the result is between the RDL and MDL

Sample receipt at GCAL is documented through the attached chain of custody. In accordance with [ISO Guide 25](#) and [NELAC](#), this report shall be reproduced only in full and with the written permission of GCAL. The results contained within this report relate only to the samples reported. The documented results are presented within this report.

This report pertains only to the samples listed in the Report Sample Summary and should be retained as a permanent record thereof. The results contained within this report are intended for the use of the client. Any unauthorized use of the information contained in this report is prohibited.

I certify that this data package is in compliance with the terms and conditions of the contract and Statement of Work both technically and for completeness, for other than the conditions in the case narrative. Release of the data contained in this hardcopy data package and in the computer-readable data submitted has been authorized by the Quality Assurance Manager or his/her designee, as verified by the following signature.

CURTIS EKKER
DATA VALIDATION MANAGER
GCAL REPORT 208121217

THIS REPORT CONTAINS _____ PAGES.

LabNet/4569/206121217/12-19-9

Chain of Custody Record

Lab Report No.:

Company: AEROSTAR	Gulf Coast LabNet, Inc. An Environmental Lab Services Co.	Modified from DEP Form #: 62-770.900(2)	Page 1 of 2
Address: 803 GOVT. ST., STE. A MOBILE, AL 36602	Phone: (251) 625-1331 Fax: (251) 625-1299	FDEP Facility No.:	Project Name: BROOKLEY FIELD OMS-28
Attn: MARSHALL ESCHETE		Location: MOBILE, AL	Project No.:

Attn: MARSHALL ESCHETE		Phone: _____		Sampler Signature		TCL 8260 H	← Preservative
Sampled by [Print Name]/Affiliation		Fax: _____		Sampler Signature			← Analysis
REQUESTED DUE DATE							
Item No.	Field ID No.	Sampled Date	Sampled Time	Grab or Comp.	Matrix Codes	No. Cont.	Remarks
							Lab. No.
							REPORT in ppm
	MW-9	12-10-08	12:10	G	GW	3	1
	OMS-28-2		12:55	G		3	2
	MW-12		13:35	G		3	3
	OMS-28-4		14:25	G		3	4
	OMS-28-7		15:05	G		3	5
	OMS-28-6		16:00	G		3	6
	RINSATE	12-10-08	1605			3	7
	DUP	12-10-08				3	8

Shipment Method		24 ← Total Number of Containers						
Out: / /	Via:	Item #	Relinquished by / Affiliation	Date	Time	Accepted by / Affiliation	Date	Time
Returned: / /	Via:		Marshall Eschete / AES	12-11-08	12:50	[Signature] / GCL	12-11-08	12:50
Additional Comments USACE Brookley DATA PACKAGE			[Signature] / GCL	12-11-08	1800	FedEx JDM	12-11-08	1800
			FedEx JDM	12-12-0	925	[Signature] / GCL	12-12-0	925
Cooler No.(s) / Temperature(s) (°C)				Sampling Kit No.		Equipment ID No.		
				8131				

MATRIX CODES: A = Air GW = Groundwater SE = Sediment SO = Soil SW = Surface Water W = Water (Blanks) O = Other (specify)

PRESERVATIVE CODES: H = Hydrochloric acid + ice I = Ice only N = Nitric acid + ice S = Sulfuric acid + ice O = Other (specify)

Labnet 14569/ 206121217/12-19-6

Chain of Custody Record

Lab Report No.:

Company: AEROSTAR Address:	Gulf Coast LabNet, Inc. An Environmental Lab Services Co. Phone: (251) 625-1331 Fax: (251) 625-1299	Modified from DEP Form #: 62-770.900(2) Page 2 of 2 FDEP Facility No.: Project Name: BROOKLEY FIELD OMS-28 Location: MOBILE, AL Project No.:
--------------------------------------	--	---

Attn: MARSHALL ESCHETE Sampled by [Print Name]/Affiliation	Phone: Fax: Sampler Signature	<div style="writing-mode: vertical-rl; transform: rotate(180deg); font-weight: bold; font-size: 1.2em;"> H TCL 8260 </div>	← Preservative ← Analysis REQUESTED DUE DATE
--	-------------------------------------	---	---

Item No.	Field ID No.	Sampled		Grab or Comp.	Matrix Codes	No. Cont.											Remarks	Lab. No.		
		Date	Time																	
	MW-8	12-11-08	9:20	G	GW	3	✓													
	MW-5		9:50			3	✓													9
	MW-6		08:40			3	✓													10
	OMS-28-1		12:00			3	✓													11
	OMS-28-3		10:35			3	✓													12
	OMS-28-5		11:10			3	✓													13
	RINSATE-2	12-11-08	1205			3	✓													14
	DUP-2	12-11-08				3	✓													15
	TRIP					3	✓													16
						3	✓													17

Shipment Method		27		← Total Number of Containers															
Out: / /	Via:	Item #	Relinquished by / Affiliation	Date	Time	Accepted by / Affiliation	Date	Time											
Returned: / /	Via:		Marshall Eschete / AES	12-11-08	12:50	[Signature] / GCL	12-11-08	12:50											
Additional Comments			[Signature] / GCL	12-11-08	1800	FedEx go.M.	12-11-08	1800											
			FedEx go.M.	12-12-08	925	[Signature] / GCL	12-12-08	925											
Cooler No.(s) / Temperature(s) (°C)					Sampling Kit No.			Equipment ID No.											
2.1					8131														

MATRIX CODES: A = Air GW = Groundwater SE = Sediment SO = Soil SW = Surface Water W = Water (Blanks) O = Other (specify)
 PRESERVATIVE CODES: H = Hydrochloric acid + ice I = Ice only N = Nitric acid + ice S = Sulfuric acid + ice O = Other (specify)